



Redhill

**DESIGNED
TO MAKE
THE JOB OF
HANDLING
GOODS
EASIER, MORE
EFFICIENT
AND SAFER**

www.redhill.co.uk



Utility Tray Trolleys

A unique range of robust tray trolleys designed for most environments, including warehouses, garages, catering, serving and general everyday use. The specially formed aluminium uprights and ribbed plastic shelves provide strength, durability and stability. Fitted with 100mm diameter thermoplastic swivel rubber castors (2 braked).



Description	Overall H x W x D mm	Platform Size W x D mm	Wheel dia mm	Capacity kg	Order Ref
Standard - 2 Shelves	940 x 460 x 750	424 x 630	100	100	TT40
Large - 2 Shelves	970 x 513 x 990	500 x 866		120	TT41
Standard - 3 Shelves	980 x 460 x 750	424 x 630		150	TT42
Large - 3 Shelves	1010 x 513 x 990	500 x 866		200	TT43

Folding Flatbed Trolleys

A sturdy range of highly manoeuvrable steel trolleys suitable for transporting various goods. Ideal for indoor and outdoor use.

- Folds flat for compact storage
- Non-slip rubber platforms and scuff resistant corners
- Non-marking wheels (2 fixed and 2 swivel)
- Powder coated steel handles



Description	Overall H x W x D mm	Folded Height mm	Wheel dia mm	Capacity kg	Order Ref
Standard Folding Flatbed	810 x 470 x 730	230	100	150	TT44
Large Folding Flatbed	870 x 608 x 907	285	125	300	TT45

Low Cost Tray Trolleys

2 or 3 fixed steel trays. Fully welded construction. Fixed steel trays with smooth folded lips. Trays are welded in position at specified heights.

Wheels: 4 swivel castors with 125mm diameter. grey non-marking tyres with thread guards. Powder coated finish.



Max Load
150kg



Made in
Britain

TT70



Description	Overall H x W x D mm	Platform Size W x D mm	Shelf Heights mm	Wheel dia mm	Weight kg	Order Ref
2 Shelves	840 x 465 x 890	457 x 762	190, 840	125	19	TT70
3 Shelves	840 x 465 x 890	457 x 762	190, 515, 840		23	TT71

Colour Options

W

B

Options

Total stop brakes
Ref: **B047 (pair)**



TT350 Series

Special heavyweight tray trolleys custom built to your specification if required.

Strong construction from square and round section steel tubes and steel shelves with lip.

Wheels: 2 fixed and 2 swivel castors with 200mm diameter red centred wheels fitted with solid rubber tyres and roller bearings.

Finish: Blue epoxy



Max Load
350kg



Made in
Britain

TT35



Description	Overall H x W x D mm	Platform Size W x D mm	Shelf Heights mm	Wheel dia mm	Weight kg	Order Ref
3 Shelves	900 x 500 x 1090	500 x 900	280, 590, 900	200	58	TT34
	1200 x 500 x 1090		280, 740, 1200		56	TT35

Optional extra

Total stop brakes - Ref: **B013 (pair)**



Loadtek

Tray Trolleys

Choice of elegant and smart removable and reversible white or blue trays in blue frame, or fixed ply shelves. Tough durable epoxy finish throughout.

Choice of 2 or 3 removable steel trays or fixed ply shelves. Removable and reversible steel trays for flush or recessed fitting. Welded tube and angle construction.

Wheels: 125mm diameter stem fitting castors. Grey non marking tyres with thread guards.



Max Load
150kg



Made in
Britain

TT62



TT66



TT63



TT77



TT72



TT65



TT61



Description	Overall Height mm	Platform Size L x W mm	Shelf Heights mm	Wheel dia mm	Wt kg	TTW Series White epoxy trays Order Ref	Wt kg	TTB Series Blue epoxy trays Order Ref	Wt Kg	TT60 Series Fixed Ply trays Order Ref
2 Shelves	1065	760 x 457	245, 945	125	25	TT62	25	TT72	20	TT60
2 Shelves	1065	1065 x 610	245, 945		38	TT66	38	TT76	31	TT64
3 Shelves	1065	760 x 457	245, 595, 945		34	TT63	34	TT73	27	TT61
3 Shelves	1065	1065 x 610	245, 595, 945		52	TT77	52	TT65	41	TT67

Optional extras

Revolving Protector Buffers to protect walls and trolley. Factory fitted
Ref: **B171 (set)**



Total Stop Brakes always recommended
Ref: **B047 (pair)**



Pneumatic Tyres complete set of 4
Ref: **B009**



Industrial Tray Trolleys

2 or 3 tray in varnished ply timber panel or sheet steel trays. Tough, high capacity industrial design with heavy duty, fully welded angle and tube construction.

Highly suited to industrial use in stores, workshops and factories. Finish: Blue or red epoxy.

Wheels: Plate fixing castors with 160mm diameter rubber tyred wheels. Roller bearings, 2 swivel and 2 fixed.



Max Load
300kg



Made in
Britain

TT36B



TT36R



TT37B



TT37R



TT38B



TT38R



TT39B



TT39R



Timber Shelves: 10mm raised edge

Steel Shelves: 20mm raised edge

Description	Overall H x W x D mm	Platform Size W x D mm	Shelf Heights mm	Wheel dia mm	Weight kg	Order Ref
2 Timber Shelves	1045 x 615 x 1070	600 x 1000	260, 950	160	40	TT36
3 Timber Shelves			260, 605, 950		45	TT37
2 Steel Shelves			260, 950		50	TT38
3 Steel Shelves			260, 605, 950		57	TT39

Colour Options

B

R

Optional extras

Total stop brakes.

Ref: **B024** (pair)



Loadtek

Heavy Duty Table Trucks

Ideal truck series for tough work in stores, warehouses, factories and workshops.

Welded steel construction throughout with a choice of timber or steel decks. Finish: Blue epoxy.

Wheels: 2 fixed and 2 swivel castors 200mm diameter rubber tyred wheels.

Recessed Deck Option

Recessed top and bottom decks optional at no extra cost. Add suffix **RD** to chosen Ref.



Max Load
500kg



Made in
Britain

TT230T



TT210T



TT230S



TT210S



SP606S



Description	Overall H x W x D mm	Platform Size W x D mm	Shelf Heights mm	Wheel dia mm	Timber Deck		Steel Deck		Stainless Steel Deck	
					Wt kg	Order Ref	Wt kg	Order Ref	Wt kg	Order Ref
Top Shelf Only	895 x 620 x 1135	600 x 1000	895	200	42	TT205T	40	TT205S	-	-
Top & Bottom Shelf	895 x 620 x 1135	600 x 1000	275, 895		52	TT200T	48	TT200S	50	SP606S
Top Shelf Only	895 x 720 x 1135	700 x 1000	895		46	TT230T	44	TT230S	-	-
Top & Bottom Shelf	895 x 720 x 1135	700 x 1000	275, 895		56	TT210T	52	TT210S	-	-
Top Shelf Only	895 x 820 x 1135	800 x 1000	895		53	TT240T	50	TT240S	-	-
Top & Bottom Shelf	895 x 820 x 1135	800 x 1000	275, 895		66	TT220T	64	TT220S	-	-

Optional extras

Protective bumper strips (factory fitted):

Deck size 1000 x 600mm - Ref: **BS1**

Deck size 1000 x 700mm - Ref: **BS2**

Deck size 1200 x 800mm - Ref: **BS3**



Total stop brakes -
Ref: **B013 (pair)**



Total stop brakes -
Ref: **B229 (pair)**
for SP606S only



6 Model TT160 Series

Welded tubular and flat steel chassis frame.
All plywood shelves are fixed, polyurethane coated with hardwood edge and have 20mm upstand. Steel shelves have 25mm upstand.
All steelwork is finished in blue epoxy.

Cupboards and drawers supplied with lock and 2 keys.

Wheels: Standard design 2 swivel and 2 fixed 160mm diameter rubber tyres.



Max Load
150kg



Made in
Britain

TT168



TT160



TT161



TT162



TT165



TT166



Drawer Size H x W x D mm: 95 x 500 x 460
Cupboard Size H x W x Dmm: 485 x 500 x 600

Description	Overall H x W x D mm	Platform Size W x D mm	Shelf Heights mm	Wheel dia mm	Weight kg	Order Ref
2 Steel Shelves	1045 x 620 x 1160	600 x 1000	285, 805	160	37	TT168
2 Plywood Shelves			285, 805		30	TT160
3 Plywood Shelves			285, 545, 805		37	TT161
1 Shelf 2 x Half Shelves 1 x Cupboard			285, 545, 805		52	TT162
2 Shelves 2 x Drawers			285, 805		51	TT165
2 Shelves 1 x Drawer 1 x Cupboard			285, 805		51	TT166

Optional extras (factory fitted)

Pneumatic tyres
set of 4 200 x 50mm:
Ref: **B008**



All swivel castors
125 dia. RT castors:
Ref: **B031**



Total stop brakes (pair):
Ref: **B032**



Loadtek



Max Load
500kg



Made in
Britain



WT20

Parcel Trucks

With 3 fixed tubular sides. Push handle one end. Polyurethane coated plywood platform flush fitted into angle frame chassis. Finish: Blue epoxy.

Wheels: 2 fixed and 2 swivel castors with 200mm diameter rubber tyred wheels and roller bearings.

Effective Height: 1300mm

Description	Overall H x W x D mm	Platform Size L x W mm	Shelf Height mm	Wheel dia mm	Weight Kg	Order Ref
Small Platform	1575 x 730 x 1190	1000 x 700	275	200	60	WT20
Large Platform	1575 x 830 x 1390	1200 x 800			70	WT21

Optional extras

Total stop brakes:
Ref: **B013 (pair)**



Protective bumper strips (factory fitted):
Deck size 1000 x 700mm. Ref: **BS2**
Deck size 1200 x 800mm. Ref: **BS3**



Made in
Britain

WT23



Stanchion Trucks

Ideal for long bulky loads. 625mm removable corner stanchions for easier loading and unloading. 2 deck sizes and 2 models: 500kg and 1000kg heavy duty fully welded construction. Steel angle with tubular post pockets. Finish: Blue epoxy.

Wheels: 2 swivel 2 fixed castors with 200 or 250mm diameter rubber tyred wheels. Bright zinc plated steel centres and roller bearings.

Description	Overall H x W x D mm	Platform Size L x W mm	Shelf Height mm	Wheel dia mm	Capacity Kg	Weight Kg	Order Ref
Medium Duty	980 x 770 x 1310	1300 x 700	275	200	500	40	WT23
Heavy Duty	980 x 770 x 1310	1300 x 700	355	250	1000	50	WT24
Medium Duty	980 x 870 x 1610	1600 x 800	275	200	500	50	WT25
Heavy Duty	980 x 870 x 1610	1600 x 800	355	250	1000	57	WT26



Platform and Frame Dollies

A range of dollies to suit most industrial needs. Steel frame construction with a choice of deck types in a compact 600 x 600mm deck size. Finish: Blue epoxy.

Wheels: 4 swivel castors with 125mm diameter rubber tyred roller bearing wheels with bright zinc plated centres.



Description	Platform Size L x W mm	Shelf Height mm	Wheel dia mm	Weight Kg	Order Ref
Timber Deck	600 x 600	198	125	19	TD600
Steel Deck				21	TD601
Open Frame Deck				15	TD602

Tool Panel Trolleys

'A' frame double sided tool panel trolleys with integral sheet steel deck storage area. Fully welded steel frame construction with bolt-on tool panels. Tubular push/pull handle. Finish: Grey epoxy trolley (BS00A05) with Blue panels (RAL5017).

Wheels: 2 swivel braked and 2 fixed castors fitted with 125mm blue resilex wheels and roller bearings.



Description	Overall H mm	Base L x W mm	Deck H mm	Wheel dia mm	Order Ref
2 Panels	1220	1025 x 600	280	125	LPT-02
3 Panels	1600				LPT-03

Shelf Truck

Welded angle chassis with tubular end frames. Fixed ply platform plus 3 drop-in ply shelves. 2 standard models. Both available as drawbar version. Spring loaded catch holds drawbar in vertical position. Finish: Blue epoxy.

Wheels: 2 fixed and 2 swivel castors with 200mm diameter rubber tyred wheels and roller bearings.

Capacity UDL Kg: Truck max 500; per shelf max 50; base 350 when shelves fully loaded



Max Load
500kg



Made in
Britain




Deck Height: 275mm

Description	Overall H x L mm	Platform Size L x W mm	Shelf Heights mm at 300mm Centres	Wheel dia mm	Weight Kg	Order Ref
Standard	1780 x 1200	1000 x 700	635, 1005, 1375	200	65	TS30
	1780 x 1400	1200 x 800			80	TS31
With drawbar handle	1780 x 1200	1000 x 700			69	TS30T
	1780 x 1400	1200 x 800			84	TS31T

Optional extra

Total stop brakes:

Ref: **B013 (pair)**



Shelf Truck with Mesh Superstructure



Max Load
500kg

Made in
Britain


With mesh superstructure - 3 sides and top. Welded mesh infill 50 x 50mm panels 5 drop-in shelves. Welded angle chassis and superstructure. Fixed ply platform and 5 removable ply shelves. Finish: Blue epoxy.

Wheels: 2 fixed and 2 swivel castors with 200mm diameter rubber tyred wheels and roller bearings.

Capacity UDL Kg: Truck max 500; per shelf max 50; base 250 when shelves fully loaded

Deck Height: 275mm

Clearance: 230mm



TS36

TS37



Description	Overall H x L mm	Platform Size L x W mm	Shelf Heights mm at 250mm Centres	Wheel dia mm	Weight Kg	Open Fronted Order Ref	Weight Kg	Hinged Doors Order Ref
Standard	1780 x 1200	1000 x 700	275, 525, 775, 1025, 1275, 1525	200	110	TS36	127	TS37
	1780 x 1400	1200 x 800			120	TS38	138	TS39
With drawbar handle	1780 x 1200	1000 x 700			112	TS36T	129	TS37T
	1780 x 1400	1200 x 800			122	TS38T	140	TS39T

Optional extra

Total stop brakes:

Ref: **B013 (pair)**



Shelf Truck with Rod Superstructure



Max Load
500kg

Made in
Britain

Welded angle chassis and tubular superstructure with vertical retaining rods. Fixed ply platform and 4 removable ply shelves. Finish: Blue epoxy.

Wheels: 2 fixed and 2 swivel castors with 200mm diameter rubber tyred wheels and roller bearings.

Capacity UDL Kg: Truck max 500; per shelf max 50; base 250 when shelves fully loaded

Deck Height: 275mm

Clearance: 280mm



TS32

TS33



Description	Overall H x L mm	Platform Size L x W mm	Shelf Heights mm at 300mm Centres	Wheel dia mm	Weight Kg	Open Fronted Order Ref	Weight Kg	Hook on Front Order Ref
Standard	1780 x 1200	1000 x 700	570, 870, 1170, 1470	200	88	TS32	98	TS33
	1780 x 1400	1200 x 800			106	TS34	117	TS35
With drawbar handle	1780 x 1200	1000 x 700			90	TS32T	100	TS33T
	1780 x 1400	1200 x 800			108	TS34T	119	TS35T

Optional extra

Total stop brakes:

Ref: **B013 (pair)**



Loadtek

Zinc Trolley - Build Your Own

All-round picking trolley. Highly customisable with a range of added extras. Chassis made of square tubing with welded bottom tray. Side panels made from square tubing frame with wire lattice, inserted into chassis and screwed into place.

Trolley Size: H:1830 x W:467 x D:1297mm

Hook in adjustable shelves are adjustable on 50mm increments, mesh size 50 x 25mm.

Chrome plated and powder coated finish.

Wheels: 4 swivel castors 125mm with GNM rubber tread. Including deflector rings made of rubber. Optional swivel castor set with 2 brakes or 2 fixed castors.

Adding bungie cords creates compartments in the trolley. 30 cords (4 rows of 6) creates 24 compartments.



Max Load
300kg



Made in
Britain


	Description	Order Ref
A	Mesh trolley 1830 x 467 x 1297mm	KT3-134618
B	Top shelf to suit 467 x 1297mm mesh trolley	KT3-TS1346
C	Adjustable shelf to suit 467 x 1297mm mesh trolley	KT3-SH1346
D	Rear panel to suit 1830 x 1297mm mesh trolley	KT3-RP1318
E	Pair of handles for KT3 trolley	KT3-HAND
F	Centre wheel for mesh trolley	KT3-CW
G	Bungie Cords (Set of 5 = 1 column)	KT3-BUNGIE
H	Folding clipboard for KT3 trolley	KT3-A4
I	Hook on basket for KT3 trolley	KT3-BASKET
J	Folding step to suit 467mm wide mesh trolley	KT3-ST46



Zinc Trolley - Ready to Go

One reference for complete Zinc Trolley and accessory combinations.

KT3-BETTER



KT3-BASIC

	Description	Order Ref
A	Mesh trolley 1830 x 467 x 1297mm	KT3-134618
B	Top shelf to suit 467 x 1297mm mesh trolley	KT3-TS1346
C	Adjustable shelf to suit 467 x 1297mm mesh trolley	KT3-SH1346
C		KT3-SH1346
C		KT3-SH1346
E	Pair of handles for KT3 trolley	KT3-HAND
G	20 Bungies 16 Compartments	KT3-BUNGIE
G		KT3-BUNGIE
G		KT3-BUNGIE
G		KT3-BUNGIE

KT3-BETTER

	Description	Order Ref
A	Mesh trolley 1830 x 467 x 1297mm	KT3-134618
B	Top shelf to suit 467 x 1297mm mesh trolley	KT3-TS1346
C	Adjustable shelf to suit 467 x 1297mm mesh trolley	KT3-SH1346
C		KT3-SH1346
C		KT3-SH1346
D	Rear panel to suit 1830 x 1297mm mesh trolley	KT3-RP1318
E	Pair of handles for KT3 trolley	KT3-HAND
E		KT3-HAND
F	Centre wheel for mesh trolley	KT3-CW
G	30 Bungies 24 Compartments	KT3-BUNGIE
G		KT3-BUNGIE
G		KT3-BUNGIE
G		KT3-BUNGIE
G		KT3-BUNGIE
G		KT3-BUNGIE

KT3-BEST

	Description	Order Ref
A	Mesh trolley 1830 x 467 x 1297mm	KT3-134618
B	Top shelf to suit 467 x 1297mm mesh trolley	KT3-TS1346
C	Adjustable shelf to suit 467 x 1297mm mesh trolley	KT3-SH1346
C		KT3-SH1346
D	Rear panel to suit 1830 x 1297mm mesh trolley	KT3-RP1318
E	Pair of handles for KT3 trolley	KT3-HAND
E		KT3-HAND
F	Centre wheel for mesh trolley	KT3-CW
G	30 Bungies 24 Compartments	KT3-BUNGIE
G		KT3-BUNGIE
G		KT3-BUNGIE
G		KT3-BUNGIE
G		KT3-BUNGIE
G		KT3-BUNGIE
H	Folding clipboard for KT3 trolley	KT3-A4
I	Hook on basket for KT3 trolley	KT3-BASKET

Boxtek Trolleys

The Boxtek Trolley is designed and manufactured by Redhill in the UK to the highest standards of quality and safety, facilitating the easy transportation and storage of equipment and goods in the warehouse, workshop or on the factory floor.

- Choice of models, with or without doors
- Two adjustable shelves in choice of plywood or steel
- Maximum load capacity per shelf: 100kg UDL
- Maximum load capacity per trolley: 500kg UDL
- Finished in a range of 5 standard colours
- Fitted with 2 swivel braked & 2 fixed heavy duty blue resilex castors with low rolling resistance and non marking tread
- Robust frame with steel base and open mesh lid



Max Load
500kg



Made in
Britain

BW1P/GN

BW1S/GN



BW6S/B



BW5SG/GY



Without Doors		
Description	Overall H x W x D mm	Ref
Plywood Shelves	1355 x 900 x 600	BW1P
Steel Shelves		BW1S
Plywood Shelves	1355 x 1200 x 600	BW2P
Steel Shelves		BW2S
Plywood Shelves	1655 x 900 x 600	BW3P
Steel Shelves		BW3S
Plywood Shelves	1655 x 1200 x 600	BW4P
Steel Shelves		BW4S
Plywood Shelves	1955 x 900 x 600	BW5P
Steel Shelves		BW5S
Plywood Shelves	1955 x 1200 x 600	BW6P
Steel Shelves		BW6S

With Doors		
Description	Overall H x W x D mm	Ref
Plywood Shelves	1355 x 900 x 600	BW1PG
Steel Shelves		BW1SG
Plywood Shelves	1355 x 1200 x 600	BW2PG
Steel Shelves		BW2SG
Plywood Shelves	1655 x 900 x 600	BW3PG
Steel Shelves		BW3SG
Plywood Shelves	1655 x 1200 x 600	BW4PG
Steel Shelves		BW4SG
Plywood Shelves	1955 x 900 x 600	BW5PG
Steel Shelves		BW5SG
Plywood Shelves	1955 x 1200 x 600	BW6PG
Steel Shelves		BW6SG

Colour Options	B	GN	R	GY
----------------	---	----	---	----



Hazardous Boxtek Trolleys

Tough, sturdy Hazardous Boxtek Trolley designed and manufactured in the UK by Redhill to the highest quality standards for the safe and secure storage and transportation between work areas of dangerous or hazardous materials.

- Choice of models: with or without fitted doors
- Two adjustable shelves with choice of steel or plywood
- Maximum load capacity per shelf: 100kg UDL
- Maximum load capacity per trolley: 500kg UDL
- Finished in yellow, with hazardous warning stickers
- Fitted with 2 swivel braked & 2 fixed heavy duty blue resilex castors with low rolling resistance and non marking tread
- Robust frame with solid steel base and lid



Max Load
500kg




Made in
Britain

HBW4P

HBW2SG



HBW5SG



Without Doors		
Description	Overall H x W x D mm	Ref
Plywood Shelves	1355 x 900 x 600	HBW1P
Steel Shelves		HBW1S
Plywood Shelves	1355 x 1200 x 600	HBW2P
Steel Shelves		HBW2S
Plywood Shelves	1655 x 900 x 600	HBW3P
Steel Shelves		HBW3S
Plywood Shelves	1655 x 1200 x 600	HBW4P
Steel Shelves		HBW4S
Plywood Shelves	1955 x 900 x 600	HBW5P
Steel Shelves		HBW5S
Plywood Shelves	1955 x 1200 x 600	HBW6P
Steel Shelves		HBW6S

Without Doors		
Description	Overall H x W x D mm	Ref
Plywood Shelves	1355 x 900 x 600	HBW1PG
Steel Shelves		HBW1SG
Plywood Shelves	1355 x 1200 x 600	HBW2PG
Steel Shelves		HBW2SG
Plywood Shelves	1655 x 900 x 600	HBW3PG
Steel Shelves		HBW3SG
Plywood Shelves	1655 x 1200 x 600	HBW4PG
Steel Shelves		HBW4SG
Plywood Shelves	1955 x 900 x 600	HBW5PG
Steel Shelves		HBW5SG
Plywood Shelves	1955 x 1200 x 600	HBW6PG
Steel Shelves		HBW6SG



TC900 Series

Small deck size of 850 x 500mm. Choice of mesh or plywood panels. Substantial timber deck. Blue epoxy finished frame with removable zinc plated mesh side panels or clear varnished plywood end and side panels. Handle ends are fully welded to all steel welded base.

Wheels: 2 swivel and 2 fixed castors with 160mm diameter rubber tyred roller bearing wheels.



Max Load
500kg



Made in
Britain



TC901P

TC901M



TC902P



TC902M



TC903P



TC903M



TC904P



TC904M



Load Restraint Height: 520mm

Description	Overall H x W x D mm	Platform Size W x D mm	Deck Height mm	Wheel dia mm	Weight kg	Order Ref
Single Plywood End	985 x 505 x 935	500 x 850	235	160	30	TC901P
Single Mesh End					30	TC901M
Double Plywood End	37				TC902P	
Double Mesh End	37				TC902M	
3 Plywood Sides	52				TC903P	
3 Mesh Sides	52				TC903M	
4 Plywood Sideds	51				TC904P	
4 Mesh Sides	51				TC904M	

Optional extras

Total stop brakes.
Ref: **B024 (pair)**



Non Marking Tyre
160mm. Ref: **B040**



Pneumatic Tyres
200mm. Ref: **B008**
260mm. Ref: **B010**



Bumper strip (Factory fitted)
850 x 500mm. Ref: **BS1**



N.B: B008 reduces the capacity to 250kgs, B010 increases the deck height by 100mm.



500 Series

Large Standard Euro Platform. Substantial timber deck, all steel welded frame.

Wheels: 2 swivel and 2 fixed castors with 160mm red centre wheels with rubber tyres and roller bearing wheels.



Max Load
500kg



Made in
Britain



TC701TB



TC700



TC702TB



TC702TB
& B024

Description	Overall H x W x D mm	Platform Size W x D mm	Deck Height mm	Wheel dia mm	Weight kg	Order Ref
Platform Only	235 x 605 x 1025	600 x 1000	235	160	25	TC600
	235 x 705 x 1025	700 x 1000			26	TC700
	235 x 805 x 1210	800 x 1200			33	TC800
Single End	985 x 605 x 1085	600 x 1000			29	TC601TB
	985 x 705 x 1085	700 x 1000			30	TC701TB
	985 x 805 x 1285	800 x 1200			38	TC801TB
Double End	985 x 605 x 1085	600 x 1000			33	TC602TB
	985 x 705 x 1085	700 x 1000			34	TC702TB
	985 x 805 x 1285	800 x 1200			42	TC802TB

Optional extras

Total stop brakes.
Ref: **B024 (pair)**



Bumper strip (Factory fitted)
1000 x 600mm. Ref: **BS1**
1000 x 700mm. Ref: **BS2**
1200 x 800mm. Ref: **BS3**



500 Series with Mesh Panels

Mesh panelled platform trucks. Choice of 3 deck sizes, Substantial timber deck. Blue epoxy finished frame with removable zinc plated mesh side panels or clear varnished plywood end and side panels. Handle ends are fully welded to all steel welded base.

Wheels: 2 swivel 2 fixed castors, with 160mm diameter rubber tyred roller bearing wheels.



Max Load
500kg



Made in
Britain

TC701M



TC702M



TC703M



TC704M



Load Restraint Height: 520mm

Description	Overall H x W x D mm	Platform Size W x D mm	Deck Height mm	Wheel dia mm	Weight kg	Order Ref
Single Mesh End	985 x 605 x 1085	600 x 1000	235	160	30	TC601M
	985 x 705 x 1085	700 x 1000			32	TC701M
	985 x 805 x 1285	800 x 1200			37	TC801M
Double Mesh End	985 x 605 x 1145	600 x 1000			36	TC602M
	985 x 705 x 1145	700 x 1000			38	TC702M
	985 x 805 x 1345	800 x 1200			44	TC802M
3 Mesh Sides	985 x 605 x 1145	600 x 1000			39	TC603M
	985 x 705 x 1145	700 x 1000			41	TC703M
	985 x 805 x 1345	800 x 1200			48	TC803M
4 Mesh Sides	985 x 605 x 1145	600 x 1000			42	TC604M
	985 x 705 x 1145	700 x 1000			44	TC704M
	985 x 805 x 1345	800 x 1200			52	TC804M

Optional extras

Total stop brakes.
Ref: **B024 (pair)**



Non Marking Tyre
160mm. Ref: **B040**



Pneumatic Tyres
200mm. Ref: **B008**
260mm. Ref: **B010**



Bumper strip (Factory fitted)
1000 x 600mm. Ref: **BS1**
1000 x 700mm. Ref: **BS2**
1200 x 800mm. Ref: **BS3**



N.B: B008 reduces the capacity to 250kgs, and increases deck height by 40mm. B010 increases the deck height by 100mm.



500 Series with Timber Panels

Timber panelled platform trucks. Choice of 3 deck sizes. Substantial timber deck. Blue epoxy finished frame with removable zinc plated mesh side panels or clear varnished plywood end and side panels. Handle ends are fully welded to all steel welded base.

Wheels: 2 swivel 2 fixed castors, with 160mm diameter rubber tyred roller bearing wheels.



Max Load
500kg



Made in
Britain

TC701P



TC702P



TC703P



TC704P



Load Restraint Height: 520mm

Description	Overall H x W x D mm	Platform Size W x D mm	Deck Height mm	Wheel dia mm	Weight kg	Order Ref
Single Timber End	985 x 605 x 1085	600 x 1000	235	160	31	TC601P
	985 x 705 x 1085	700 x 1000			33	TC701P
	985 x 805 x 1285	800 x 1200			38	TC801P
Double Timber End	985 x 605 x 1145	600 x 1000			37	TC602P
	985 x 705 x 1145	700 x 1000			38	TC702P
	985 x 805 x 1345	800 x 1200			45	TC802P
3 Timber Sides	985 x 605 x 1145	600 x 1000			42	TC603P
	985 x 705 x 1145	700 x 1000			44	TC703P
	985 x 805 x 1345	800 x 1200			51	TC803P
4 Timber Sides	985 x 605 x 1145	600 x 1000			47	TC604P
	985 x 705 x 1145	700 x 1000			49	TC704P
	985 x 805 x 1345	800 x 1200			57	TC804P

Optional extras

Total stop brakes.
Ref: **B024 (pair)**



Non Marking Tyre
160mm. Ref: **B040**



Pneumatic Tyres

200mm. Ref: **B008**

260mm. Ref: **B010**



Bumper strip (Factory fitted)

1000 x 600mm. Ref: **BS1**

1000 x 700mm. Ref: **BS2**

1200 x 800mm. Ref: **BS3**



N.B: B008 reduces the capacity to 250kgs, and increases deck height by 40mm. B010 increases the deck height by 100mm.



Loadtek

Long Goods Platform Trucks

Strong and robust, it features a substantial timber deck with an all steel welded frame, finished in a hard wearing blue epoxy coating. Making it ideal for carrying various loads in a factory, warehouse, store, shop or school environment.

Choice of Tubular or Timber sides.

Wheels: 2 swivel and 2 fixed castors 160mm diameter rubber tyred wheels and roller bearings.


Max Load
500kg


Made in
Britain



TC705TB




TC705P

Retaining Sides for Tube Ends: 800mm
Retaining Sides for Timber Ends: 520mm

Description	Overall H x W x D mm	Platform Size W x D mm	Deck Height mm	Wheel dia mm	Weight kg	Order Ref
Tube Ends	1035 x 605 x 1025	600 x 1000	235	160	40	TC605TB
	1035 x 705 x 1025	700 x 1000			41	TC705TB
	1035 x 805 x 1025	800 x 1200			47	TC805TB
Timber Ends	1035 x 605 x 1025	600 x 1000			41	TC605P
	1035 x 705 x 1025	700 x 1000			43	TC705P
	1035 x 805 x 1025	800 x 1200			49	TC805P

Optional extra

Total stop brakes:
Ref: **B024** (pair)



Stainless Steel Range

304 Grade Stainless Steel platform trucks. High specification range of platform trucks suitable for the food and drink industry. Completely formed from 304 grade stainless steel sheet, tube and wire mesh. Fixed mesh ends and removable mesh sides.

Wheels: 2 swivel and 2 fixed stainless steel castors fitted with 200mm diameter rubber tyred wheels with red centres and stainless steel roller bearings.



Max Load
500kg



Made in
Britain



SP701M

SP702M



SP703M



SP704M



Mesh Panel Height: 480mm

Description	Overall H x W x D mm	Platform Size W x D mm	Deck Height mm	Wheel dia mm	Weight kg	Order Ref
Platform Only	295 x 600 x 1000	600 x 1000	295	200	33	SP600
	295 x 700 x 1000	700 x 1000			35	SP700
	295 x 800 x 1200	800 x 1200			40	SP800
Single Mesh End	985 x 600 x 1000	600 x 1000			37	SP601M
	985 x 700 x 1000	700 x 1000			39	SP701M
	985 x 800 x 1200	800 x 1200			45	SP801M
Double Mesh End	985 x 600 x 1000	600 x 1000			41	SP602M
	985 x 700 x 1000	700 x 1000			44	SP702M
	985 x 800 x 1200	800 x 1200			50	SP802M
3 Mesh Sides	985 x 600 x 1000	600 x 1000			44	SP603M
	985 x 700 x 1000	700 x 1000			47	SP703M
	985 x 800 x 1200	800 x 1200			54	SP803M
4 Mesh Sides	985 x 600 x 1000	600 x 1000			47	SP604M
	985 x 700 x 1000	700 x 1000			50	SP704M
	985 x 800 x 1200	800 x 1200			58	SP804M

Optional extra

Total stop brakes:
Ref. **B229** (pair)



Bumper strip (Factory fitted)
1000 x 600mm: **Ref. BS1**
1000 x 700mm: **Ref. BS2**
1200 x 800mm: **Ref. BS3**



Colour Range

Coloured platform trucks. High quality powder coated decks in a range of attractive colours, with bright zinc plated fixed mesh ends and removable sides. End panels fixed, side panels removable.

Wheels: 2 swivel and 2 fixed castors with 200mm diameter, rubber tyred wheels with bright zinc plated centres and roller bearings.



Max Load
700kg



Made in
Britain



EP701M/B

EP702M/Y



EP703M/G



EP704M/R



Mesh Panel Height: 480mm

Description	Overall H x W x D mm	Platform Size W x D mm	Deck Height mm	Wheel dia mm	Weight kg	Order Ref
Single Mesh End	985 x 600 x 1000	600 x 1000	295	200	37	EP601M
	985 x 700 x 1000	700 x 1000			39	EP701M
	985 x 800 x 1200	800 x 1200			45	EP801M
Double Mesh End	985 x 600 x 1000	600 x 1000			41	EP602M
	985 x 700 x 1000	700 x 1000			44	EP702M
	985 x 800 x 1200	800 x 1200			50	EP802M
3 Mesh Sides	985 x 600 x 1000	600 x 1000			44	EP603M
	985 x 700 x 1000	700 x 1000			47	EP703M
	985 x 800 x 1200	800 x 1200			54	EP803M
4 Mesh Sides	985 x 600 x 1000	600 x 1000			47	EP604M
	985 x 700 x 1000	700 x 1000			50	EP704M
	985 x 800 x 1200	800 x 1200			58	EP804M

Colour Options	B	R	Y	G
----------------	---	---	---	---

Optional extras

Total stop brakes:
Ref. **B073 (pair)**



Non Marking Tyre
200mm: Ref. **B041**



Pneumatic Tyres
260mm. Ref: **B010**



N.B: B008 reduces the capacity to 250kgs, B010 increases the deck height by 60mm.

Bumper strip (Factory fitted)
1000 x 600mm. Ref: **BS1**
1000 x 700mm. Ref: **BS2**
1200 x 800mm. Ref: **BS3**



Series 700 Bright Zinc Plated

Comprehensive range of bright zinc plated platform trucks from basic platform to 4 mesh sides. Choice of 3 deck sizes. Steel chassis with steel deck. Fixed ends and removable long sides, bright zinc plated mesh infill. Smart durable bright zinc plated finish.

Wheels: 2 swivel and 2 fixed castors with 200mm diameter rubber tyred roller bearing wheels with bright steel centres.



Max Load
700kg



Made in
Britain

ZP700

ZP701T



ZP701M



ZP702M



ZP703M



ZP704M



Mesh Panel Height: 480mm

Description	Overall H x W x D mm	Platform Size W x D mm	Deck Height mm	Wheel dia mm	Weight kg	Order Ref
Platform Only	295 x 600 x 1000	600 x 1000	295	200	35	ZP600
	295 x 700 x 1000	700 x 1000			38	ZP700
	295 x 800 x 1200	800 x 1200			45	ZP800
Single Fixed Tube End	985 x 600 x 1000	600 x 1000			38	ZP601T
	985 x 700 x 1000	700 x 1000			41	ZP701T
	985 x 800 x 1200	800 x 1200			49	ZP801T
Single Fixed Mesh End	985 x 600 x 1000	600 x 1000			39	ZP601M
	985 x 700 x 1000	700 x 1000			42	ZP701M
	985 x 800 x 1200	800 x 1200			49	ZP801M
Double Fixed Mesh End	985 x 600 x 1000	600 x 1000			43	ZP602M
	985 x 700 x 1000	700 x 1000			46	ZP702M
	985 x 800 x 1200	800 x 1200			54	ZP802M
3 Mesh Sides (1 removable)	985 x 600 x 1000	600 x 1000			46	ZP603M
	985 x 700 x 1000	700 x 1000			59	ZP703M
	985 x 800 x 1200	800 x 1200			58	ZP803M
4 Mesh Sides (2 removable)	985 x 600 x 1000	600 x 1000			49	ZP604M
	985 x 700 x 1000	700 x 1000			52	ZP704M
	985 x 800 x 1200	800 x 1200			62	ZP804M

Optional extras

Total stop brakes:
Ref. **B073 (pair)**



Non Marking Tyre
200mm: Ref. **B041**




Pneumatic Tyres
260mm. Ref: **B010**
N.B: B010 increase the
deck height by 60mm



Bumper strip (Factory fitted)
1000 x 600mm. Ref: **BS1**
1000 x 700mm. Ref: **BS2**
1200 x 800mm. Ref: **BS3**





Beam Trolley

Easy transportation of long loads in factories, showrooms and warehouses, for carpets, floor coverings, poles and timber products. Finish: Blue epoxy.

Tubular construction throughout with centre axle mounted with large 400mm diameter pneumatic tyred wheels for maximum mobility and soft ride, or 400mm diameter solid rubber tyred wheels.

We can manufacture to your special sizes on request.

Description	Overall H x D x L mm	Wheel dia mm	Weight kg	Order Ref
Solid Wheels	420 x 660 x 1010	400	26	TP46
Pneumatic Wheels			13	TP46P




Carpet Trolley

Strong tubular steel frame designed for moving heavy, cylindrical goods, especially carpets, with full welded construction. Finish: Red epoxy.

Mounted with large 400mm diameter pneumatic tyred wheels for maximum mobility and soft ride, or 400mm diameter solid rubber tyred wheels.

Description	Overall H x D x L mm	Central Frame Height mm	Wheel dia mm	Weight kg	Order Ref
Solid Wheels	505 x 550 x 1540	420	400	27	TP42
Pneumatic Wheels				14	TP42P



Sheet Buggies

For in-plant or on-site use; timber and metal sheets, frames and doors, chipboard and hardboard. Tubular steel construction, with plastic hand grips and finished in blue epoxy.

Wheels: 2 axle mounted 200mm diameter solid tyred wheels, or 260mm diameter pneumatic tyred wheels (all wheels roller bearings).

Description	Overall H x D x L mm	Platform Size L x W mm	Handle Length mm	Wheel dia mm	Weight kg	Order Ref
Plywood Platform with Solid Wheels	1220 x 550	800 x 250	2000	200	19	TP41
Plywood Platform with Pneumatic Wheels				260		TP41P
Ribbed Rubber Platform with Solid Wheels	1220 x 590	500 x 200	1180	200	21	TP40
Ribbed Rubber Platform with Pneumatic Wheels				260		TP40P



Hi-Frame Plate Trucks



Made in
Britain

The Big Plate Trucks. Heavy duty angle chassis with high tubular support frame for sheet material transport and storage. Fully welded throughout. Open frame or ply deck. Finish: Blue epoxy.

Wheels: 2 swivel 2 fixed castors with rubber tyred wheels, bright steel centres and roller bearings.

TP31

TP31P



Frame Height: 1175mm
Max Load Depth: 450mm

Description	Overall H x W x L mm	Deck Height mm	Wheel dia mm	Capacity kg	Weight kg	Order Ref
Open Frame	1500 x 700 x 2250	285	200	500	84	TP31
	11570 x 700 x 2250	355	250	750	92	TP32
Ply Deck	1500 x 700 x 2250	300	200	500	94	TP31P
	11570 x 700 x 2250	370	250	750	104	TP32P

Standard Plate Trucks



Max Load
500kg



Made in
Britain

TP36

Welded angle chassis with removable bars, 2 supplied (extras available).
Finish: Blue epoxy.

Wheels: 2 swivel and 2 fixed castors with 200mm diameter rubber tyred wheels and roller bearings.



Support Bar Height: 725mm

Description	Platform W x L mm	Deck Height mm	Bars (2 supplied)		Wheel dia mm	Weight kg	Order Ref
			Positions	Centres mm			
Ply Deck	700 x 1000	325	5	168	200	46	TP35
	700 x 1200		6	155		54	TP36

Optional Extras	Order Ref
1000mm length additional Support Bars	TP7
1200mm length additional Support Bars	TP8


Optional extras:

Total stop brakes extra (pair)

Ref: **B013**



Loadtek



Made in
Britain

Multi-height Sheet Rack

Ideal for off-cuts and other variable sizes of sheet and plate.
Fitted with sheet steel base and pre-drilled for floor fixing.
Finished in blue epoxy.

Overall H x D x L mm	Distance Between Bars mm	Support Bar Heights mm	Weight kg	Order Ref
1000 x 1400 x 800	160	400, 550, 700, 850, 1000	75	MPR



Max Load
50kg



Made in
Britain

Full-height Sheet Rack

Multipurpose rack with formed sheet steel base.
Pre-drilled for floor fixing (bolts not supplied). Finished in blue epoxy.



Overall H x W x D mm	Distance Between Uprights mm	Central Support Beam Height mm	Weight kg	Order Ref
1220 x 1080 x 1015	305	575	53	FHSR



Made in
Britain

Vertical Bar Rack

Fully welded steel construction with steel base 600 x 250mm storage bays.
Pre-drilled for bolting to floor (fixings not supplied).
Finished in blue epoxy.

Description	Overall H x D x L mm	Bay Size mm	Weight kg	Order Ref
4 Bays	1500 x 600 x 1200	600 x 250	84	VBR4
6 Bays	1500 x 600 x 1800		108	VBR6
8 Bays	1500 x 600 x 2400		135	VBR8



Horizontal Bar Rack



Made in
Britain

Single or double sided freestanding units with a maximum load of 500kg per level single sided, 1000kg per level double sided. Six storage levels on single sided units, seven levels on double sided units. Finish: Blue epoxy.



Starter bay - 2 uprights + cross bracing

Extension bay - 1 upright + cross bracing

Description	Overall H x D x L mm	Centre line of uprights mm	Weight kg	Order Ref
Single sided starter bay	1880 x 860 x 2445	1575	100	HBR1
Single sided extension bay	1880 x 860 x 2010		53	HBR1E
Double sided starter bay	1985 x 920 x 2445		128	HBR2
Double sided extension bay	1985 x 920 x 2010		68	HBR2E

Stacking Bar Cradles



Max Load
1000kg




Made in
Britain

Flexible stacking cradles for storage of varying lengths of bar, tube, flats, and angles. Stacked at a maximum of 5 high with a load capacity of 1000kg per cradle.

Fitted with 127mm square pallet feet. Finished in blue epoxy.

Units MUST be sited on solid level ground.



Overall H x D x L mm	Effective W x H mm	Weight Kg	Order Ref
470 x 790 x 465	610 x 305	21	SBC1
625 x 790 x 465	610 x 460	24	SBC2
470 x 1095 x 465	915 x 305	25	SBC3
625 x 1095 x 465	915 x 460	28	SBC4



Loadtek

Drum Lifters

Suitable for 210 litre steel drums.

Standard 2-wheel design with rear bar support.
4-wheel design with rear swivel castors, which helps operator move and manoeuvre loaded truck.

Tubular and hollow section construction with centre beam adjustable drum retaining hook.

Choice of solid or pneumatic tyres. Finished in blue epoxy with red plastic standard hand grips.


Max Load
300kg


Made in
Britain



DT20



DT21



DT23



DT24



DT25

Description	Wheel dia mm	Rear Castors No. x Diameter mm	Weight kg	Order Ref
2 Solid Wheels (rear bar support)	250	N/A	20	DT20
	400		34	DT21
2 Pneumatic Wheels (rear bar support)	400		21	DT23
4 Solid Wheels (rear bar support)	250	2 x 125	21	DT24
	400	2 x 125	36	DT25

Optional extra
Protective Hand Grips
Ref: E010 (pair)



Pallet Loading Drum Truck

Designed to assist loading and unloading 210 litre drums onto pallets or platforms etc. with sliding drum retention clamp. 190mm maximum pallet height for safe use.

Wheels: 2 x 250mm diameter. and 2 x 200mm diameter with roller bearings and solid rubber tyres.



Max Load
450kg



Made in
Britain



DT60/ZP



DT60



Description	Overall H x W x L mm	Maximum Pallet Height mm	Wheel dia mm	Weight kg	Order Ref
Twin Loop Handles with Blue Epoxy Finish	1100 x x 610 x 1660	190	2 x 250 / 2 x 200	29	DT60
Twin Loop Handles with Zinc Plated Finish					DT60/ZP

Optional Clamps

Clamp for Plastic Drums
(can be retro fitted).

Weight: 6kg. **Order Ref: DT61**



Zinc Plated Clamp for
Plastic Drums (can be
retro fitted). Weight: 6kg.

Order Ref: DT61/ZP





Max Load
250kg



Made in
Britain

Universal Drum Truck

Suitable for steel, plastic or fibre drums. Welded construction flat and tube steel. Finish: Blue epoxy.

Fitted with adjustable quick release strap.

Rubber Tyred Wheels with roller bearings.

Overall H x W mm	Wheel dia mm	Weight kg	Order Ref
1330 x 660	200	15	DT250



Max Load
250kg



Made in
Britain

Drum Trolley and Pouring Stand

Suitable for 210 litre steel drums. Choose from pneumatic or solid tyred wheels: 2 x 400mm diameter. 4 Nylon drum rollers and strap supplied. Finish: Blue epoxy.

As manufacturers we are pleased to quote for drum movers for any specific diameter of kegs, drums, containers or rolls.

DT30P




Description	Overall H x W x L mm	Height of Bung* mm	Weight kg	Order Ref
Pneumatic Wheels	510 x 800 x 1220	360	22	DT30P
Solid Wheels			35	DT30



Drum Stands

Manufactured from a robust and strong welded steel frame and finished with a tough, hard wearing red epoxy coating.

The tubular chassis is angled to hold the drum safely and securely, with two support bars to ensure rigidity.



Max Load
250kg



Made in
Britain

Description	Overall H x W x L mm	Capacity kg	Weight kg	Order Ref
Static Stand	490 x 585 x 880	250	9	DS17

Optional extras

Tilt Lever (factory fitted). Length 1070mm with hand grip

Ref: **DS29**



Hook on Drip Tray
L x W x H 387 x 280 x 50mm
Available for all drum stands.

Ref: **DS30**



Complete Mobile Drum Stand

Suitable for holding 210 litre steel drums. Manufactured from a strong tubular steel welded construction and finished in a tough red epoxy coating. The drum rotation rollers make it easy to change the position of the drum while on the stand, and the tilt lever ensures easy operation from standing to vertical position.

Two fixed outrigger wheels, 150 x 40mm, and two swivel castor nylon wheels, 80 x 35mm



Max Load
250kg





Made in
Britain

Description	Overall H x W x L mm	Capacity kg	Weight kg	Order Ref
Mobile Stand	580 x 725 x 880	250	17	DS19

Hook on Drip Tray
L x W x H 387 x 280 x 50mm
Available for all drum stands.

Ref: **DS30**





Drum Dollies

Circular Drum Dolly

Flat steel braces with 4 nylon wheels. 80mm diameter in swivel castor housings. Flat steel circular retention ring. Finish: Red epoxy.

Stainless Steel Circular Drum Dolly

Fully welded flat stainless steel bracers. Flat stainless steel circular retention ring. Retention ring height: 40mm. Overall height: 153mm. Wheels: 4 x swivel stainless steel castors fitted with 80mm nylon wheels and roller bearings. Finish: Stainless steel grade 304.

4 Wheeled Drum Dolly

Immensely strong fabricated construction 4 nylon wheels in swivel castors. 80mm wheel diameter. Finish: Red epoxy.

3 Wheeled Drum Dolly

Suitable for 130 or 210 litre drums. Overall Height x Diameter: 120 x 800mm. Load height 55mm, 3 x 80mm diameter nylon swivel castors. Finish: Red epoxy.

Description	Internal dia mm	Wheel dia mm	Capacity kg	Weight kg	Order Ref
Circular Drum Dolly	610	80	300	9	DT10
Stainless Steel Circular Drum Dolly				10	DT10SS
4 Wheeled Drum Dolly			500	11	DT11
3 Wheeled Drum Dolly	800		300	8	DT12



Economy Drum Dollies

Economy Circular Drum Dolly

Manufactured from 3mm mild steel. Minimum drum diameter: 520mm. Overall height: 135mm. Retention lip height: 24mm.

Wheels: 4 x swivel castors fitted with 80mm nylon wheels and roller bearings. Finish: Light grey epoxy.

Economy Drum Dolly

Manufactured from 4mm mild steel. Minimum drum diameter: 450mm. Overall height: 135mm. Retention lip height: 20mm.

Wheels: 4 x swivel castors fitted with 80mm nylon wheels and roller bearings. Finish: Light grey epoxy.


Description	Internal dia mm	Wheel dia mm	Capacity kg	Weight kg	Order Ref
Economy Circular Drum Dolly	590	80	300	7	DT15
Economy Drum Dolly	600	80	500	6	DT16



Stacking Drum Pallet Racking System

Flexible, expandable storage system for 200/220 litre steel drums. Pallet Unit: Holds 2 drums. Strong welded steel construction stackable pallet. Pallet feet 127mm square. Maximum stacking 3 units high. Also with Drum Rotation option. Finish: Red epoxy.

Sump Unit: Capacity 250 litres. Formed from 3mm sheet steel, fully welded seams. Ground clearance 100mm. Finish: Grey epoxy.



Fork Pocket W x H: 240 x 70mm
Max Width Over Forks: 920mm
Distance Between Pockets: 430mm

Description	Overall H x W x L mm	Weight kg	Order Ref
Pallet Unit	890 x 1460 x 615	50	DS100
Sump Unit	300 x 1250 x 1000	70	DS2

Optional extras

Drum retaining bars for added stability. Overall H x W x D: 1420 x 170 x 40mm. Weight: 6kg. Finish: Red epoxy.

Ref: **DS103**

Drum rotating sets: fitted with 4 x 65mm dia nylon rollers. Drops onto pallet unit 1 set per drum position. Weight: 4kg. Finish: Zinc plated.

Ref: **DS101**



Dispenser stand hooks onto pallet. Overall H x W x D: 330 x 340 x 290mm. Weight: 6kg. Finish: Grey epoxy.

Ref: **DS102**



Drum Sump Storage System

Designed to store drums either vertically or horizontally for ease of use and access. In case of leakage, sumps are designed to hold more than the contents of the drum.

Products designed to assist conformance with Environmental Duties of Care and Oil Storage Regulations (England) 2001. Sump capacity >125% of drum contents.

Fully welded sump covered with removable galvanised steel grid and retaining chain (vertical stores only). Stores without roofs fitted with 125mm pallet feet for ease of stacking. Maximum stack 3 high. All sumps fully welded liquid tight, fitted with drain plug and fork locators.

Drum stand to take 2 horizontal drums fits over DS402.

Drum rotation frame for 1 horizontal drum, fits over DS411. Nylon wheels allow full rotation of drum.




DS401



DS402



DS411



DS412



Description	Overall H x W x L mm	Capacity ltrs	Order Ref
Drum Sump for 2 Vertical Drums	345 x 735 x 1365	250	DS401
Drum Sump for 4 Vertical Drums	345 x 1365 x 1365	470	DS402
Drum Stand for 2 Horizontal Drums	495 x 745 x 480	N/A	DS411
Drum Rotation Frame for 1 Drum	940 x 540 x 1375	N/A	DS412

Optional extras

Drain tap for drum sumps

Ref: **MS117**



Mobile Drum Sump Trolley / Dispenser


Max Load
250kg


Made in
Britain

Mobile Drum Sump
Drum trolley with integral sump. Sump trolley for 2 vertical or 1 horizontal drum when used with drum rotation frame. Sump capacity 250 ltrs. Removable galvanised steel support grid and drain plug. Fitted with tubular push handle and fork locators. 2 fixed, 2 swivel castors with 125mm nylon wheels and roller bearings. Braked castors available as an option.

Drum Rotation Frame
Drum rotation frame to fit drum sump trolley. Ideal for transport and dispensing purposes. 4 nylon wheels allow full rotation of drum in horizontal position.


DS403
& DS410



Drum Sump Storage System



DS403



DS410

Description	Overall H x W x L mm	Wheel dia mm	Order Ref
Mobile Drum Sump	970 x 735 x 1405	125	DS403
Drum Rotation Frame	155 x 505 x 480	N/A	DS410

Optional extras
Brake option for DS403
Ref: B175





Made in Britain

SC205

Economy Cylinder Wall Racks

Wall storage for 1, 2 or 3 cylinders. To suit cylinders size ranges of either 100 - 180mm diameter or 140 - 270mm diameter. Manufactured from 3mm sheet steel and supplied complete with zinc plated steel link retention chains. Finish: Light Grey epoxy to BS00A05 or Stainless Steel 304 grade.

Pre-drilled wall fixings holes (fixings not supplied). Wall racks must be fixed to the wall at height of at least two-thirds of cylinder height.

SC204



SC205



SC206



Description	Overall W x D mm	Cylinder dia mm	Weight Kg	Light Grey Epoxy Order Ref	Stainless Steel Order Ref
1 Cylinder Wall Rack	245 x 140	100 - 180	1	SC204	SC204SS
2 Cylinder Wall Rack	460 x 140		2	SC205	SC205SS
3 Cylinder Wall Rack	675 x 140		3	SC206	SC206SS
1 Cylinder Wall Rack	340 x 210	140 - 270	2	SC207	SC207SS
2 Cylinder Wall Rack	660 x 210		3	SC208	SC208SS
3 Cylinder Wall Rack	980 x 210		4	SC209	SC209SS



Made in Britain

SC212



SC212SS

Economy Static Cylinder Floor Stands

Static floor storage stands for 1,2 or 3 cylinders. To suit cylinders size ranges of either 100-180mm diameter or 140-270mm diameter. Manufactured from 3mm sheet steel and supplied complete with zinc plated steel link retention chains. Finish: Light Grey epoxy to BS00A0S or Stainless Steel 304 grade.

Pre-drilled fixings holes for wall or floor (fixings not supplied). Units must either be bolted to the floor or a wall. Units can be bolted back to back to create double sided storage areas.

SC210

SC210SS



SC211

SC211SS



SC213

SC213SS



Description	Overall H x W x D mm	Cylinder dia mm	Weight Kg	Light Grey Epoxy Order Ref	Stainless Steel Order Ref
1 Cylinder Floor Stand	1005 x 255 x 255	100 - 180	7	SC210	SC210SS
2 Cylinder Floor Stand	1005 x 500 x 255		10	SC211	SC211SS
1 Cylinder Floor Stand	1005 x 340 x 345	140 - 270	9	SC212	SC212SS
2 Cylinder Floor Stand	1005 x 660 x 345		14	SC213	SC213SS



Heavy Duty Cylinder Wall Racks



Made in
Britain

Wall storage units 2 or 3 cylinders. These racks must be fixed to the wall at a height of at least two-thirds of cylinder height. Finish: Blue epoxy or Galvanised.

Supplied with pre-drilled fixing holes (fixings not supplied). All racks fitted with steel link retention chains.



SC200



SC202G



Description	Overall W x D mm	Cylinder dia mm	Weight Kg	Light Grey Epoxy Order Ref	Galvanised Order Ref
1 Cylinder Wall Rack	538 x 155	100 - 180	2	SC200	SC200G
2 Cylinder Wall Rack	765 x 155		3	SC201	SC201G
1 Cylinder Wall Rack	765 x 195	140 - 270	3	SC202	SC202G
2 Cylinder Wall Rack	1045 x 195		4	SC203	SC203G

Heavy Duty Floor Fixing Cylinder Racks



Made in
Britain

Single and double sided cylinder racks. Single sided units have rear frames pre-drilled. We strongly recommend that single sided units are fixed to the wall. Fully welded construction throughout. Steel link retention chains fitted. Finish: Blue epoxy.



SC301



SC304



SC305



SC300

Single Sided				
Description	Overall H x W x D mm	Cylinder dia mm	Wt Kg	Order Ref
2 Cylinder Floor Stand	1000 x 540 x 370	100 - 180	12	SC300
3 Cylinder Floor Stand	1000 x 770 x 370		13	SC301
2 Cylinder Floor Stand	1000 x 725 x 400	140 - 270	13	SC302
3 Cylinder Floor Stand	1000 x 1040 x 400		14	SC303

Bases supplied pre-drilled for floor fixing (fixings not supplied)

Double Sided				
Description	Overall H x W x D mm	Cylinder dia mm	Wt Kg	Order Ref
4 Cylinder Floor Stand	1000 x 540 x 685	100 - 180	14	SC304
6 Cylinder Floor Stand	1000 x 770 x 685		15	SC305
4 Cylinder Floor Stand	1000 x 725 x 685	140 - 270	15	SC306
6 Cylinder Floor Stand	1000 x 1040 x 685		16	SC307

Bases supplied pre-drilled for floor fixing (fixings not supplied)



Loadtek



Hinged Latch Stands / Cylindrical Stands

Hinged Latch Cylinder Stand: 3 sizes. 2 hinged access latches secured by wing nuts. RSA and mild steel flat section, fully welded throughout. Heavy duty base plate and support. Base plate pre-drilled for floor fixing (fixings not supplied). Finish: Blue epoxy.

Cylindrical Stand: 3 sizes. Rolled and formed mild steel flat section, fully welded throughout. Finish: Blue epoxy.



Description	Cylinder dia mm	Overall Height mm	Overall diameter/base mm	Weight Kg	Order Ref
Cylindrical Stand	100	330	310	9	SC11
	140	380	345	10	SC12
	180	610	420	11	SC13
Hinged Latch Stand	180	605	322 x 322	14	SC17
	230	605	380 x 380	15	SC18
	285	605	420 x 420	16	SC19



Max Load
250kg



Made in
Britain

Cylinder Trolleys

Tandem Cylinder Trolley. Steel link retaining chain fitted. Finish: Blue epoxy.

Wheels: 2 x 250mm diameter solid rubber tyres, 2 x 100mm diameter rubber swivel castors.

Description	Overall H x W x D mm	Cylinder Sizes mm	Wheel dia mm	Weight Kg	Order Ref
Tandem	1070 x 475 x 1005	230 & 265	250	34	SC115



'T' Bar Calor Truck

Designed for cylinders diameter x H: 325 x 535mm T-bar handle.
Steel cross member cylinder support and vertical sides with cylinder retention chain. Finish: Blue epoxy.

Wheels: 200 mm diameter solid rubber tyres.



Max Load
100kg



Made in
Britain



Description	Overall Height mm	Cylinder dia mm	Wheel dia mm	Weight Kg	Order Ref
T Bar Handle	535	325	200	10	SC15

Single Cylinder Trolley

Cylinder sizes: 230 & 275mm diameter. Finish: Blue epoxy.

Wheels: 200mm diameter solid rubber tyred roller bearing wheels.



Max Load
200kg



Made in
Britain

SC140



Description	Overall H x W x D mm	Cylinder dia mm	Wheel dia mm	Weight Kg	Order Ref
Bar Handle	1170 x 430 x 450	230	200	9	SC140
	1170 x 475 x 450	275		10	SC141

Tall Cylinder Support Trucks

Designed to carry cylinder loads on 3-wheel base, thus minimising operator fatigue and risk. Easy to load with flat foot plate (AR).
Finish: Blue epoxy.

AR Series: Adjustable rake back. Max overall front-rear 1350mm

Wheels: All models with 200mm diameter wheels with roller bearings.
Plate fixing rear swivel castor 125mm diameter rubber tyres.



Max Load
200kg



Made in
Britain



SC147

Description	Overall H x W mm	Cylinder dia mm	Wheel dia mm	Weight Kg	Order Ref
AR Series	1140 x 430 x	230	200	25	SC146
	1140 x 475x	275			SC147







Max Load
250kg



Made in
Britain

SC114

Welders Trolley

Trolleys to transport 1 Oxygen cylinder and 1 Acetylene cylinder with rods and cable holders. Steel link retaining chains fitted. Finish: Blue epoxy.

Wheels: 400mm diameter pneumatic or solid rubber tyred wheels with roller bearings - rear support models have 125mm swivel castors with solid rubber tyres and roller bearings.

SC114



SC118



SC119



Description	Cylinder Sizes mm	Overall H x W x D mm (Upright)	Overall diameter/base mm	Wheel dia mm	Wt Kg	Order Ref	
2 Solid Wheels	230 & 265	1085 x 915 x 540	N/A	400	32	SC114	
2 Pneumatic Wheels					25	SC114P	
2 Solid Wheels with 1 rear support castor		1085 x 915 x 820	940 x 915 x 1050		35	SC118	
2 Pneumatic Wheels with 1 rear support castor					21	SC118P	
2 Solid Wheels with 2 rear support castor					37	SC119	
2 Pneumatic Wheels with 2 rear support castor					23	SC119P	





Made in
Britain

Keg Trolley

Designed to easily move 11 gallon casks or kegs. Manufactured with centre spine with formed hook from flat to locate into hand hold of keg. Formed tubular handle welded central. Finish: Black epoxy.

Mounted on 160mm diameter rubber tyred wheels.



Description	Overall H x W mm	Wheel dia mm	Weight Kg	Order Ref
Keg Trolley	1190 x 400	160	7	SC04



Propane and Calor Cylinder Trucks



Max Load
250kg



Made in
Britain

Designed for cylinders diameter x height: 380 x 1250mm. Twin rear handles fitted with protective hand grips. Solid foot plate and vertical side tubes with cylinder retention chain. Finish: Blue epoxy

Wheels: 260mm diameter pneumatic or 200mm diameter solid rubber treaded wheels with roller bearings - rear support models have 125mm swivel castors with solid rubber tyres and roller bearings.



SC16



SC216



SC217



SC16

Description	Cylinder Sizes mm	Overall H x W x D mm (Upright)	Overall diameter/base mm	Wheel dia mm	Wt Kg	Order Ref
2 Solid Wheels	230 & 265	1400 x 700 x 540	N/A	200	32	SC16
2 Pneumatic Wheels				260	25	SC16P
2 Solid Wheels with 1 rear support castor		1400 x 700 x 800	1010 x 700 x 1320	200	35	SC216
2 Pneumatic Wheels with 1 rear support castor				260	21	SC216P
2 Solid Wheels with 2 rear support castor				200	37	SC217
2 Pneumatic Wheels with 2 rear support castor				260	23	SC217P

Cylinder Lifting Trolleys

Combined cylinder trolley / lifting cradle. One product allowing cylinders to be moved with either overhead lifting gear, or wheeled into position. Finish: Red epoxy.

All cradles tested to 100% overload - test certificate supplied.

Single cylinder lifting trolley: 2 x 200mm diameter solid rubber wheels and 50mm diameter lifting eye. Top and bottom cylinder retention chains.

Two cylinder lifting trolley: 2 Fitted with rear castor for added safety and manoeuvrability. 2 x 400mm diameter rubber tyred wheels and a single 160mm diameter swivel castor on rear support frame for added safety and manoeuvrability. Top and bottom cylinder retention chains.



Made in
Britain



SC25

SC27

Description	Overall H x W mm	Cylinder dia mm	Wheel dia mm	Capacity Kg	Weight Kg	Order Ref
1 Cylinder	1870 x 740 x 410	180-230	200	150	23	SC25
	1870 x 780 x 490	230-305			24	SC26
2 Cylinder	1870 x 685 x 790	180-230	400	250	56	SC27
	1870 x 760 x 940	230-305			60	SC28





Cylinder Storage / Transport Pallet

Heavy duty design to carry combinations of cylinder sizes. Manufactured from strong box section supports, thick sheet steel fork pockets and checker plate base. Cylinders secured with ratchet straps mounted to internal framework. Finish: Blue epoxy.



Fork pocket H x W: 70 x 195mm

Description	Overall H x W x D mm	Deck Size Front W x D mm (Internal)	Deck Size Rear W x D mm (Internal)	Min Cylinder Height mm	Weight kg	Order Ref
Transport Pallet	1000 x 1020 x 1000	940 x 670mm	940 x 270mm	1000	98	SC6100



Small Cylinder Trolley

Cylinder trolley designed to carry either 12 x Size D or E oxygen cylinders. Located in 108mm hole supports complete with rubber cushioning to deck Finish: Light grey epoxy coated.

Wheels: 4 x 100mm swivel castors (2 braked) fitted with grey non-marking tyres and roller bearings.

Description	Overall H x W x D mm	Wheel dia mm	Weight Kg	Order Ref
Small Trolley	930 x 490 x 720	100	15	SC117

Oxygen Cylinder Trolleys

Ideal for all medical services: Ideal for all hospitals, medial centres, pharmaceutical companies and laboratories. Also industrial and factory medical services. Easy to use: Quiet, Tough and Smart in Grey epoxy.

Protective rotating buffers fitted to front corners. One piece safety loop handle. Secure butterfly screw crossbar fitting for both cradles. Top and bottom cradles both rubber lined for grip and noise reduction.

Anti static wheels 160/200mm diameter.



Max Load
120kg



Made in
Britain

SC08G



Description	Overall H x W x D mm	Cylinder dia mm	Wheel dia mm	Weight Kg	Order Ref
Loop Handle Trolley	1100 x 430 x 585	140	160	11	SC08G
	1100 x 520 x 610	230	200	13	SC010G

Oxygen Cylinder Trolleys

Splayed tubular framework with formed sheet steel toe plate. Suitable for cylinders with max diameter of 230mm. Drop over chains secure the cylinder. Easy to use yet robust by designer retention chains.

Mounted on 2 x 160mm anti static wheels and 2 x 100mm GNM rear swivel castors.



Max Load
120kg



Made in
Britain



Description	Overall H x W x D mm	Cylinder dia mm	Wheel dia mm	Weight Kg	Order Ref
Drop Chain Trolley	910 x 480 x 1030	230	160	15	SC20G





Made in
Britain

Wall Mounted Cylinder Storage Racks



SC220

Suitable for storage of cylinders up to a maximum diameter of 100mm. Robust rubber ring to protect cylinders from damage. Ribbed rubber lining in the base for extra protection. Precut for securing to a wall and supplied without fixings. Finish: Light Grey



SC221



SC222

Description	H x W x D mm	Cylinder dia mm	Order Ref
1 x 1 Cylinder	250 x 165 x 165	100	SC220
1 x 2 Cylinder	250 x 300 x 165		SC221
1 x 3 Cylinder	250 x 435 x 165		SC222



Made in
Britain

Cylinder Storage Racks



SC223

Suitable for storage of cylinders 100mm and 140mm in diameter. Robust rubber ring to protect cylinders from damage. Ribbed rubber lining in the base for extra protection. Recommended to be fixed to a solid level surface. Finish: Light Grey



SC224



SC225



SC226



SC227



SC228



SC229



SC230



SC231



SC233



SC232

Description	H x W x D mm	Cylinder dia mm	Order Ref
1 x 2 Cylinder	325 x 365 x 190	100	SC223
1 x 3 Cylinder	325 x 500 x 190		SC224
1 x 6 Cylinder	325 x 905 x 190		SC225
2 x 2 Cylinder	325 x 365 x 330		SC226
2 x 3 Cylinder	325 x 500 x 330		SC227
2 x 4 Cylinder	325 x 635 x 330		SC228
3 x 3 Cylinder	325 x 500 x 460		SC229

Description	H x W x D mm	Cylinder dia mm	Order Ref
1 x 2 Cylinder	325 x 445 x 230	140	SC230
1 x 3 Cylinder	325 x 620 x 230		SC231
1 x 6 Cylinder	325 x 1145 x 230		SC232
2 x 2 Cylinder	325 x 445 x 405		SC233
2 x 3 Cylinder	325 x 620 x 405		SC234
2 x 4 Cylinder	325 x 795 x 405		SC235
3 x 3 Cylinder	325 x 620 x 580		SC236



Cylinder Storage Cages

Strong and sturdy design cylinder storage security cage with hinged doors fitted with padlock facility (padlock not supplied). Doors open through 180 degrees. Manufactured from heavy duty box and angle section. Supplied complete with gas storage warning identification label.

Finish: Blue epoxy.

Mobile Model

Mounted on 2 swivel and 2 fixed castors fitted with 200mm blue resilex wheels and roller bearings complete with push handle at one end.

Static Model

Mounted on 4 pallet feet. Available with or without centrally fixed shelf: Fixed shelf model to carry a maximum of 16 x calor gas type cylinders (max 380mm diameter x 650mm tall). Open shelf model to carry a maximum of 8 x propane type cylinders (max 380mm diameter x mm x 1690mm tall).

SC500



Max Load
500kg



Made in
Britain



SC501

SC502

SC503



Internal clearance:

Open shelf model (H x W x D): 1690 x 1695 x 980mm.

Fixed shelf model (H x W x D);

Base shelf: 850 x 1695 x 980mm, Shelf: 785 x 1695 x 980mm.

Description	Overall H x W x D mm	No. of Shelves	Shelf Height mm	Wheel dia mm	Weight Kg	Order Ref
Mobile Cage for 8 x Propane	2030 x 1960 x 1040	0	280	200	204	SC500
Mobile Cage for 16 x Calor		1	1185		230	SC501
Static Cage for 8 x Propane	2030 x 1830 x 1040	0	280	-	194	SC502
Static Cage for 16 x Calor		1	1185		220	SC503

Optional extra

Total stop braked castors (pair)

Ref: **B200**



Loadtek

Trader Truck Hand Turntable Trailer

Fully welded construction from rectangular and round section steel tube. Metalwork finished in red epoxy. Optional sides finished in light grey epoxy.

- 3 deck sizes
- MDF or steel deck
- Solid rubber or pneumatic tyres
- Removable steel ends and sides option
- Loop handle

End / side panel kit. 200mm high panels. Corner posts fit into steel tubes and lock with simple bolt tightening. Formed steel side and end panels slot onto steel channels, reduces usable length and width by 50mm.

Post socket - remove cap and insert post, then lock by tightening bolt. Sides then simply slot in.



TR230P & TR210SS

TR126



TR230



TR230P



Handle dimensions:

Overall height above deck: 560mm
Overall length: Deck length + 240mm

End / Side Panel Kit							
Description	Deck Size H x W x D mm	Wheel dia mm	Capacity kg	Weight kg	Order Ref	Weight kg	Order Ref
MDF Deck with Solid Wheels	425 x 600 x 1200	200	350	37	TR120	14	TR126SS
Steel Deck with Solid Wheels				42	TR220		
MDF Deck with Pneumatic Wheels	450 x 600 x 1200	260	500	39	TR121P		
Steel Deck with Pneumatic Wheels				44	TR221P		
MDF Deck with Solid Wheels		250		41	TR121S		
Steel Deck with Solid Wheels				46	TR221S		
MDF Deck with Solid Wheels	500 x 750 x 1500	400	750	78	TR126	17	TR157SS
Steel Deck with Solid Wheels				94	TR226		
MDF Deck with Pneumatic Wheels				55	TR126P		
Steel Deck with Pneumatic Wheels				71	TR226P		
MDF Deck with Solid Wheels			1000	88	TR127		
Steel Deck with Solid Wheels				104	TR227		
MDF Deck with Pneumatic Wheels				65	TR127P		
Steel Deck with Pneumatic Wheels				81	TR227P		
MDF Deck with Solid Wheels	500 x 1000 x 2000		1000	120	TR130	22	TR201SS
Steel Deck with Solid Wheels				149	TR230		
MDF Deck with Pneumatic Wheels				98	TR130P		
Steel Deck with Pneumatic Wheels				127	TR230P		

Optional extras:

Tee bar handle

Factory fitted at time of manufacture as alternative to loop handle, at no extra cost.
Add suffix "T" to reference.



Parking brake

Factory fitted at time of manufacture. Brake is applied when handle is raised to vertical position.
Order Ref: PB1 (extra)



Turntable Trailer with Drop Down Side Panels



Made in
Britain

General purpose hand pulling trailers with steel load retaining panels. Ends are removable and slide out - sides are either fully removable or simply fold down. Ends & Sides height: 200mm.

Finish: Blue epoxy chassis, yellow epoxy sides.

- 3 deck sizes
- MDF or steel deck
- Solid rubber or pneumatic tyres
- Loop handle
- Parking brake option

TR126DDS



Handle dimensions:

Overall height above deck: 560mm

Overall length: Deck length + 240mm

Description	Deck Size H x W x D mm	End / Side Height mm	Wheel dia mm	Capacity kg	Weight kg	Order Ref
MDF Deck with Solid Wheels	425 x 600 x 1200	200	200	350	51	TR120DDS
Steel Deck with Solid Wheels					56	TR220DDS
MDF Deck with Pneumatic Wheels	260		500	53	TR121PDDS	
Steel Deck with Pneumatic Wheels				58	TR221PDDS	
MDF Deck with Solid Wheels	250		500	55	TR121SDDS	
Steel Deck with Solid Wheels				60	TR221SDDS	
MDF Deck with Solid Wheels	500 x 750 x 1500		750	95	TR126DDS	
Steel Deck with Solid Wheels				111	TR226DDS	
MDF Deck with Pneumatic Wheels				72	TR126PDDS	
Steel Deck with Pneumatic Wheels				88	TR226PDDS	
MDF Deck with Solid Wheels			400	1000	105	TR127DDS
Steel Deck with Solid Wheels					121	TR227DDS
MDF Deck with Pneumatic Wheels					82	TR127PDDS
Steel Deck with Pneumatic Wheels					121	TR227PDDS
MDF Deck with Solid Wheels	500 x 1000 x 2000		1000	142	TR130DDS	
Steel Deck with Solid Wheels				171	TR230DDS	
MDF Deck with Pneumatic Wheels				120	TR130PDDS	
Steel Deck with Pneumatic Wheels				149	TR230PDDS	

Optional extras

Tee bar handle

Factory fitted at time of manufacture as alternative to loop handle, at no extra cost.

Add suffix "T" to reference.



Parking brake

Factory fitted at time of manufacture. Brake is applied when handle is raised to vertical position.

Order Ref: PB1 (extra)



Loadtek

Turntable Trailer with Tubular Supports

General purpose hand pulling trailers with tubular load retaining panels. Ends are fixed - sides lift off and are fully removable. Ends & Sides height: 610mm.

Finish: Blue epoxy chassis and ends, Yellow epoxy sides.

- 3 deck sizes
- MDF or steel deck
- Solid rubber or pneumatic tyres
- Loop handle
- Parking brake option

TR126TU



Handle dimensions:
Overall height above deck: 560mm
Overall length: Deck length + 240mm

Description	Deck Size H x W x D mm	End / Side Height mm	Wheel dia mm	Capacity kg	Weight kg	Order Ref	
MDF Deck with Solid Wheels	425 x 600 x 1200	610	200	350	56	TR120TU	
Steel Deck with Solid Wheels					61	TR220TU	
MDF Deck with Pneumatic Wheels	450 x 600 x 1200		260	500	58	TR121PTU	
Steel Deck with Pneumatic Wheels					63	TR221PTU	
MDF Deck with Solid Wheels			250		60	TR121STU	
Steel Deck with Solid Wheels					65	TR221STU	
MDF Deck with Solid Wheels	500 x 750 x 1500		400	750	100	TR126TU	
Steel Deck with Solid Wheels					116	TR226TU	
MDF Deck with Pneumatic Wheels					77	TR126PTU	
Steel Deck with Pneumatic Wheels					93	TR226PTU	
MDF Deck with Solid Wheels				1000	110	TR127TU	
Steel Deck with Solid Wheels					126	TR227TU	
MDF Deck with Pneumatic Wheels					87	TR127PTU	
Steel Deck with Pneumatic Wheels					103	TR227PTU	
MDF Deck with Solid Wheels					500 x 1000 x 2000	147	TR130TU
Steel Deck with Solid Wheels						176	TR230TU
MDF Deck with Pneumatic Wheels						125	TR130PTU
Steel Deck with Pneumatic Wheels						154	TR230PTU

Optional extras

Tee bar handle
Factory fitted at time of manufacture as alternative to loop handle, at no extra cost.
Add suffix "T" to reference.



Parking brake
Factory fitted at time of manufacture. Brake is applied when handle is raised to vertical position.
Order Ref: PB1 (extra)



Turntable Trailers with Mesh Cage Supports



Made in
Britain

Detachable mesh sides. General purpose hand pulling trailers with steel 50 x 50mm mesh load retaining panels. Ends are fixed - sides are lift off and fully removable. Ends & Sides height: 760mm high

Finish: Blue epoxy chassis and ends, yellow epoxy sides.

- Fixed mesh ends - detachable mesh sides
- 3 deck sizes
- MDF or steel decks
- Front turntable steering with loop handle
- Solid or pneumatic tyres
- Flush MDF deck polyurethane coated
- Parking brake option

TR126MS



Handle dimensions:

Overall height above deck: 560mm

Overall length: Deck length + 240mm

Description	Deck Size H x W x D mm	End / Side Height mm	Wheel dia mm	Capacity kg	Weight kg	Order Ref
MDF Deck with Solid Wheels	425 x 600 x 1200	760	200	350	59	TR120MS
Steel Deck with Solid Wheels					64	TR220MS
MDF Deck with Pneumatic Wheels	450 x 600 x 1200		260	500	61	TR121PMS
Steel Deck with Pneumatic Wheels					46	TR221PMS
MDF Deck with Solid Wheels			250		63	TR121SMS
Steel Deck with Solid Wheels					120	TR226MS
MDF Deck with Solid Wheels	500 x 750 x 1500		400	750	104	TR126MS
Steel Deck with Solid Wheels					120	TR226MS
MDF Deck with Pneumatic Wheels					81	TR126PMS
Steel Deck with Pneumatic Wheels					97	TR226PMS
MDF Deck with Solid Wheels				1000	114	TR127MS
Steel Deck with Solid Wheels					130	TR227MS
MDF Deck with Pneumatic Wheels					91	TR127PMS
Steel Deck with Pneumatic Wheels					107	TR227PMS
MDF Deck with Solid Wheels	500 x 1000 x 2000				152	TR130MS
Steel Deck with Solid Wheels					181	TR230MS
MDF Deck with Pneumatic Wheels					130	TR130PMS
Steel Deck with Pneumatic Wheels					159	TR230PMS

Optional extras

Tee bar handle

Factory fitted at time of manufacture as alternative to loop handle, at no extra cost.

Add suffix "T" to reference.



Parking brake

Factory fitted at time of manufacture. Brake is applied when handle is raised to vertical position.

Order Ref: PB1 (extra)



Loadtek



Max Load
350kg

Single Ackerman Trailer with Folding Sides

Heavy duty design with Single Ackerman steering. Sides and tailgate all fold down. Sides are easily removable. Ideal for both garden and industrial use.

Fitted with large 330mm wheels with optional removable canvas lining. Supplied flat pack for easy on site assembly.

Description	Overall W x L mm	Height of Walls mm	Wheel dia mm	Weight kg	Order Ref
4 Mesh Sides	620 x 1470	280	330	30	TR535



Made in
Britain


Heavy Duty Towing Trailers

Turntable Steering
Good solo manoeuvring in confined spaces. For in-plant operation - maximum towing speed 8 kph (5 mph). Finish: Blue epoxy.

- Fully welded steel chassis.
- Anti-drop tow bar.
- 35mm tow eye - rear hitch and pin.
- Flush ply decks - sanded and coated.



Rear hitch and pin



Description	Deck Size H x W x D mm	Wheel dia x Tread mm	Capacity kg	Weight kg	Order Ref
Solid Wheels	500 x 1000 x 2000	400 x 100	1000	200	TR601
	500 x 1200 x 2400			230	TR611
Pneumatic Wheels	500 x 1000 x 2000	400 x 110		185	TR601P
	500 x 1200 x 2400			215	TR611P
Solid Wheels	515 x 1000 x 2000	400 x 100	2000	220	TR602
	515 x 1200 x 2400			250	TR612
Pneumatic Wheels	550 x 1000 x 2000	500 x 120		205	TR602P
	550 x 1200 x 2400			235	TR612P
Solid Wheels	575 x 1000 x 2000	455 x 120	3000	250	TR603
	575 x 1200 x 2400			285	TR613
Pneumatic Wheels	720 x 1000 x 2000	610 x 150		235	TR603P
	720 x 1200 x 2400			270	TR613P



Trailers

Standard deck height 510mm. Braced and reinforced all steel welded chassis with high quality polyurethane coated ply decks inset and finished flush. Protected all round by steel side frame. Fixed optional headboard complete with drop down sides and tailgate. All with polyurethane coated ply panels.

Wheels: Large 400mm diameter roller bearing wheels with either solid or pneumatic tyres. Finish: Blue epoxy.

Handles

Loop handles are supplied as standard. T bar handles can be supplied at no extra cost. Please specify T bar handle when ordering.

2 Options

- Flat Bed
- Headboard Sides and Tailgate

Turntable Steering

Front axle mounted ball race turntable. Highly manoeuvrable with tight turning circle.



TR110P



TR112P

Description	Deck Size H x W x D mm	Wheel dia x Tread mm	Weight kg	Order Ref
Flat Bed with Solid Wheels	510 x 800 x 1500	400 x 100	112	TR100
End & Side Panels with Solid Wheels			142	TR102
Flat Bed with Pneumatic Wheels		400 x 110	85	TR100P
End & Side Panels with Pneumatic Wheels			115	TR102P
Flat Bed with Solid Wheels	510 x 1000 x 2000	400 x 100	137	TR110
End & Side Panels with Solid Wheels			175	TR112
Flat Bed with Pneumatic Wheels		400 x 110	110	TR110P
End & Side Panels with Pneumatic Wheels			148	TR112P



Max Load
200kg



Made in
Britain

Trader Truck

This modern sack truck is available in blue epoxy finish with a choice of solid rubber or pneumatic tyres. All welded steel construction, fitted with protective hand grips as standard. Curved back design with a solid toe plate. Finish: Blue Epoxy



ST12

ST12P



Description	Overall H x W x D mm	Toeplate W x D mm	Frame Width mm	Wheel dia mm	Weight kg	Order Ref
Solid Wheels	1100 x 580 x 440	410 x 230	400	200	12	ST12
Pneumatic Wheels	1100 x 580 x 500			260	13	ST12P




Max Load
200kg



Made in
Britain

Stainless Steel Sack Trucks

The Trader Range of Stainless Steel Sack Trucks.
High quality range of sack trucks manufactured from sheet and tube stainless steel. Suitable for use in the food and drink industry. Red centred wheels and solid rubber tyres. Safety hand protectors fitted as standard.



ST21SS

ST20SS



Description	Overall H x W mm	Toeplate W x D mm	Back Frame H x W mm	Wheel dia mm	Weight kg	Order Ref
150kg Capacity	1075 x 485	375 x 150	805 x 370	160	9	ST20SS
200kg Capacity	1175 x 535	420 x 200	965 x 420	200	12	ST21SS

Sack Trucks with Plate Toe



Max Load
250kg



Made in
Britain

Meticulous build quality in red epoxy finish with a choice of solid or pneumatic tyres. Exceptional value.



Description	Overall H x W mm	Toeplate W x D mm	Frame H x W mm	Wheel dia mm	Capacity kg	Weight kg	Order Ref
Solid Wheels	1070 x 495	375 x 150	850 x 370	160	150	10	ST20
Solid Wheels	1185 x 540	430 x 200	960 x 415	200	200	14	ST21
Solid Wheels	1300 x 610	500 x 250	1070 x 500	200	250	17	ST22
Pneumatic Wheels	1300 x 680			260			ST22P

Optional extra

Load Strap: **Order Ref: STP1**



Sack Trucks with Folding Toe



Max Load
250kg



Made in
Britain

ST20F

Meticulous build quality in red epoxy finish with a choice of solid or pneumatic tyres. Exceptional value.



Description	Overall H x W mm	Toeplate W x D mm	Frame H x W mm	Wheel dia mm	Capacity kg	Weight kg	Order Ref
Solid Wheels	1070 x 495	300 x 320	850 x 370	160	150	9	ST20F
Solid Wheels	1185 x 540	300 x 330	960 x 415	200	200	12	ST21F
Solid Wheels	1300 x 610	420 x 420	1070 x 500	200	250	16	ST22F
Pneumatic Wheels	1300 x 680			260			ST22FP







Traditional Splay-back Trucks

An original design still meeting today's demands. Originally designed for use in markets, but suitable for many other applications. All models are manufactured from tough welded angle and tube with a one piece toe iron and centre strap for increased load support. Curved back design. Finish: Blue epoxy.

200mm diameter solid rubber or 260mm pneumatic tyred wheels with roller bearing centres. Protective hand grips as standard.



Description	Overall H x W x D mm	Toeplate W x D mm	Frame Width mm	Wheel dia mm	Weight kg	Order Ref
Solid Wheels	1170 x 635 x 520	355 x 305	510	200	18	ST26
Pneumatic Wheels	1170 x 635 x 588	355 x 305		260		ST26P
Solid Wheels	1170 x 635 x 672	355 x 450		200	20	ST27
Pneumatic Wheels	1170 x 635 x 740	355 x 450		260		ST27P



Euro Loop Handle Trucks

Continuous loop handles give convenient handling at all angles. Wide backs and choice of large fold-up toe or fixed toe plate, make these trucks very versatile. Finish: Blue epoxy.

Mounted on 200mm diameter solid rubber tyred wheels.

Frame Width: 400mm

Description	Overall H x W x D mm	Toeplate W x D mm	Wheel dia mm	Weight kg	Order Ref
Solid Wheels	1150 x 595 x 480	410 x 255	200	16	ST15
Pneumatic Wheels	1150 x 620 x 510			15	ST15P

Stairclimber Sack Trucks



Made in
Britain

Fitted with star wheel system to provide the greatest ease in transporting loads up and down steps and stairways. Large toe folds and locks to frame for compact storage. Model SM22 folds for handy storage and transportation. The star wheel system also helps transportation over rougher terrain making these trucks ideal for locations with variable terrain. Finish: Blue epoxy.

160mm diameter steel centred wheels with roller bearings and rubber tyres.



SM22



SM12

Frame Width: 305mm

Description	Overall H x W mm	Toeplate W x D mm	Wheel dia mm	Capacity kg	Weight kg	Order Ref
Flat Back	1090 x 470 x 370	245 x 350	160	110	14	SM12
Folding Back	1090/600 x 470 x 370/720			80		SM22

Optional extra

Load Strap: **Order Ref: STP1**



Loop Handle Stairclimber Sack Trucks



Made in
Britain

Fitted with star wheel system to provide the greatest ease in transporting loads up and down steps and stairways. The star wheel system also helps transportation over rougher terrain making these trucks ideal for locations with variable terrain. Finish: Blue epoxy.



SM23



SM23P



SM16

Frame Width: 510mm

Description	Overall H x W x D mm	Toeplate W x D mm	Wheel dia mm	Capacity kg	Weight kg	Order Ref
Folding Toe with Solid Wheels	1150 x 595 x 405/810	330 x 405	160	200	19	SM16
Flat Toe with Solid Wheels	1150 x 595 x 665	420 x 300	160	250	21	SM23
Flat Toe with Pneumatic Wheels	1150 x 595 x 705	420 x 300	200	125	21	SM23P



Loadtek



Max Load
35kg

Folding Box Trolley

A practical trolley perfect for manoeuvring small parts whilst goods are kept partially secure and side enclosed.

- Extra lightweight
- Folds flat and fully extends in seconds
- Fitted with a telescopic aluminium handle
- Smooth plastic wheel fitted for easy transportation
- Colour: Red / Black

Description	Open H x W x D mm	Folded H x W x D mm	Order Ref
Folding Box Trolley	1300 x 590 x 380	585 x 155	ST90



Max Load
60kg

60kg - Telescopic Folding Sack Truck

A lightweight aluminium sack truck with a large toe plate, ideal for travel, office and shop use.

- Unique design, quick and easy to extend and fold
- Lightweight and simple to operate
- Telescopic handle and folding footplate
- 965mm long elasticated retaining strap supplied
- Durable aluminium frame
- Occupies very little space when folded / collapsed
- Fitted with rubber cushion wheels

Description	Open H x W x D mm	Folded H x W x D mm	Toeplate W x D mm	Wheel dia mm	Order Ref
60kg Capacity Sack Truck	1010 x 400 x 390	645 x 385 x 65	387 x 279	125	ST92



Max Load
90kg

90kg - Telescopic Folding Sack Truck

A truck designed to transport small goods / parcels in almost any environment.

- Lightweight aluminium
- Collapses in overall size for compact storage
- Telescopic handle
- Folding footplate
- Fitted with rubber cushion wheels

Description	Open H x W x D mm	Folded H x W x D mm	Toeplate W x D mm	Wheel dia mm	Order Ref
90kg Capacity Sack Truck	1105 x 400 x 410	740 x 400 x 180	355 x 240	150	ST91

100kg - Telescopic Folding Sack Truck

A lightweight aluminium sack truck with a large toe plate (485 x 385mm) and carrying capacity of 100kg.

- Telescopic handle and folding footplate
- 1500mm long elasticated retaining strap supplied
- Durable aluminium frame
- Occupies very little space when folded / collapsed
- Fitted with rubber cushion wheels



Max Load
100kg



Description	Open H x W x D mm	Folded H x W x D mm	Toeplate W x D mm	Wheel dia mm	Order Ref
100kg Capacity Sack Truck	1080 x 500 x 520	800 x 500 x 60	485 x 385	175	ST93

125kg - Telescopic Folding Sack Truck

A lightweight aluminium sack truck with a large toe plate (485 x 350mm) and carrying capacity of 125kg.

- Telescopic handle and folding footplate
- 1500mm long elasticated retaining strap supplied
- Durable aluminium frame
- Occupies very little space when folded / collapsed
- Fitted with rubber cushion wheels



Max Load
125kg



Description	Open H x W x D mm	Folded H x W x D mm	Toeplate W x D mm	Wheel dia mm	Order Ref
125kg Capacity Sack Truck	1110 x 520 x 510	770 x 500 x 65	485 x 350	175	ST94

200kg - Telescopic Folding Sack Truck

Ideal for heavier applications such as shops, stores, smaller warehouses and delivery vehicles with a large toe plate and carrying capacity of 200kg.

- Additional fold out handles for increased operating functionality
- 1500mm long elasticated retaining strap supplied
- Durable aluminium frame
- Occupies very little space when folded / collapsed
- Fitted with rubber cushion wheels



Max Load
200kg




Description	Open H x W x D mm	Folded H x W x D mm	Toeplate W x D mm	Wheel dia mm	Order Ref
200kg Capacity Sack Truck	1125 x 600 x 600	900 x 595 x 97	590 x 390	200	ST95

Tilting Skip Bin

Choice of two capacities – 200kg (200 litres) or 400kg (260 litres). Fabricated sheet steel body mounted on square frame chassis. Reinforced body rim. No sharp edges. Handle for pushing and load dumping. Load will not tip until retaining latch is released by the operator. Welded fork guides are available as an option. Finish: Blue epoxy.

Wheels: 200mm diameter axle mounted front wheels with single 200mm diameter rear swivel castor, fitted with solid rubber tyres and roller bearings.



Loose fitting perforated base and drain tap.



Description	Overall H x W x D mm	Body size H x W x D mm	Wheel dia mm	Weight kg	Order Ref
200kg (200 litres) Capacity	790 x 850 x 1175	525 x 580 x 1050	200	68	SB08
400kg (260 litres) Capacity	970 x 900 x 1320	700 x 630 x 1200		78	SB10

Including perf. base & drain tap	
Description	Order Ref
200kg (200 litres) Capacity	SB08DT
400kg (260 litres) Capacity	SB10DT

Fork lift pockets (factory fitted extra) 125 x 40mm	
Description	Order Ref
200kg (200 litres) Capacity	SB/FP
400kg (260 litres) Capacity	SB/FP

Optional extra

Total stop brake on single swivel castor.
Ref: **B013/1**



Mobile Tray Racks

Rack construction: Welded square section steel tube construction with formed tray supports and steel top cover. Metal strap prevents trays being pushed through when loading. Finish: Blue epoxy coated.

Complete with specified Euro Container Box Trays external dimensions L x W 600 x 400mm.

Wheels: 4 swivel castors with 100mm diameter nylon wheels.



Max Load
200kg



Made in
Britain



Description	Overall H x W x D mm	Tray H x W x D mm	Wheel dia mm	Weight kg	Order Ref
6 x PC005 Trays	1100 x 525 x 700	120 x 400 x 600	100	38	CT206
8 x PC005 Trays	1405 x 525 x 700			46	CT208
10 x PC005 Trays	1710 x 525 x 700			53	CT210

Optional extra
Total stop brakes
Ref: **B103**



**For additional trays,
please see page 64**

Mobile Tray Racks



Max Load
200kg



Made in
Britain



Rack construction: Welded square section steel tube construction with formed tray supports and steel top cover. Metal strap prevents trays being pushed through when loading. Finish: Blue epoxy coated.

Complete with specified Euro container box trays external L x W 600 x 400mm.

Wheels: 4 swivel castors with 100mm diameter nylon wheels.

Description	Overall H x W x D mm	Tray H x W x D mm	Wheel dia mm	Weight kg	Order Ref
6 x PC020 Trays	1420 x 525 x 700	170 x 400 x 600	100	42	CT506
8 x PC020 Trays	1830 x 525 x 700			51	CT508
4 x PC053 Trays	1250 x 525 x 700	200 x 400 x 600		37	CT604
6 x PC053 Trays	1780 x 525 x 700			49	CT606

Optional extra
Total stop brakes
Ref: **B103**



**For additional trays,
please see page 64**





Mobile Tray Racks

A versatile range of mobile steel racks. Welded square section steel tube construction with formed tray supports. Supplied complete with grey. Finish: Red epoxy.

European 600 x 400mm plastic containers.
Trays: 21 litre solid grey containers.

Wheels: All swivel castors with 100mm diameter nylon wheels.

Description	Overall H x W x D mm	Tray H x W x D mm	Wheel dia mm	Weight kg	Order Ref
2 x 5 Trays	945 x 650 x 955	120 x 400 x 600	100	50	CT405
6 Trays	1100 x 650 x 525			33	CT406
8 Trays	1405 x 650 x 525			41	CT408
10 Trays	1710 x 650 x 525			48	CT410

Optional extra
Total stop brakes
Ref: **B103**



Mobile Tray Racks

Supplied with white non-toxic polyethylene food grade trays. All welded angle construction. Plastic trays slide onto fixed metal tray supports. Metal strap prevents trays being pushed through when loading. Optional steel top cover. Finish: Red epoxy.

Wheels: 4 swivel castors, white nylon 100mm diameter wheels

Tray specification:
All round grip. Solid base and sides.
Thermal resistance: -30°C to +60°C, washable up to 110°C.
External H x W x L: 80 x 450 x 754mm
Internal H x W x L: 68 x 412 x 717mm

Alternative sizes or models to suit customers own containers available on request.

Description	Overall Height mm	Overall Floor Area mm	Wheel dia mm	Weight kg	Order Ref
6 Trays	895	780 x 530	100	36	CT306
8 Trays	1120	780 x 530		45	CT308
10 Trays	1330	780 x 530		53	CT310
12 Trays	1555	780 x 530		62	CT312
16 Trays	2005	780 x 530		74	CT316

Optional extra
Total stop brakes
Ref: **B103**



Additional Trays
Ref: **PC004 (single tray)**



Top Cover sheet steel (factory fitted) Weight: 5kg Ref: **CT3**



Small Parts Storage Tray Racks

Rack construction: Welded square section steel tube construction with formed tray supports. Metal strap prevents trays from being pushed through when loading.Finish: Blue epoxy. Complete with specified Euro Container Box Trays.

Wheels: 4 swivel castors with 100mm diameter nylon wheels and roller bearings.



Max Load
200kg



Made in
Britain



CT226

CT216



Description	Overall H x W x D mm	Tray H x W x D mm	Wheel dia mm	Weight kg	Order Ref
12 Trays	1115 x 730 x 440	120 x 300 x 400	100	29	CT216
24 Trays	1115 x 1420 x 440			49	CT226

Optional extra
Total stop brakes
Ref: **B103**



Additional Trays
Ref: **PC023 (single tray)**



Small Parts Storage Tray Racks

Rack construction: Welded square section steel tube construction with formed tray supports. Metal strap prevents trays from being pushed through when loading.Finish: Blue epoxy. Complete with specified Euro Container Box Trays.

Wheels: 4 swivel castors with 100mm diameter nylon wheels androller bearings.



CT271



CT272

Description	Overall H x W x D mm	Tray H x W x D mm	Wheel dia mm	Weight kg	Order Ref
Empty	1725 x 500 x 650	None	100	25	CT270
10 Trays		10 Trays: 120 x 400 x 600		N/A	CT271
8 Trays		3 Trays: 120 x 400 x 600		N/A	CT272
		4 Trays: 175 x 400 x 600 1 Tray: 75 x 400 x 600			

Optional extra
Total stop brakes
Ref: **B103**



For additional trays,
please see page 64



Loadtek



Max Load
200kg



Made in
Britain

CT91-2

Mobile Tray Racks

Rack construction: Welded square section steel tube construction with welded cross braces adding durability. Trays angled to help access products stored. Finish: Blue epoxy coated. Supplied with or without Euro Containers L x W 600 x 400mm in single or double bays

Wheels: 2 swivel and 2 swivel braked 100mm diameter wheels



CT90-1



CT90-2



CT91-2


Description	Overall W x D mm	Tray H x W x D mm	Wheel dia mm	Order Ref
8 x PC005 Trays	820 x 660	120 x 400 x 600	100	CT90-1
8 x PC020 Trays		170 x 400 x 600		CT90-2
16 x PC005 Trays	820 x 1320	120 x 400 x 600		CT91-1
16 x PC020 Trays		170 x 400 x 600		CT91-2



Max Load
150kg



Made in
Britain



CT06

CT05



Mobile Tray Racks

Welded tubular and angle frame construction. Swivel tiers can be tilted 15° or 30° in either direction Finish: Blue epoxy

Wheels: 2 fixed and 2 swivel castors with 125mm diameter rubber tyred wheels, roller bearings.

Frame levels: 200; 700; 1200mm

Description	Overall H x W x D mm	Construction	Wheel dia mm	Weight kg	Order Ref
3 x drop-in ply shelves	1200 x 470 x 915	3 fixed tiers	125	24	CT04
3 x drop-in grey trays (PC005)		3 fixed tiers		28	CT05
3 x drop-in grey trays (PC005)		1 fixed, 2 swivel tiers		30	CT06

Optional extras:

Brakes: Total stop

Ref: **B032**



Additional Grey Trays

Ref: **PC005**



Euro Dolly



Max Load
250kg



Made in
Britain

Euro Dolly with optional tug handle. Finish: Blue epoxy. Designed to carry European 600 x 400mm containers in any combination of heights. Containers are NOT included. For containers, please see page 64.

Wheels: 4 swivel castors with 125mm diameter wheels, solid rubber tyres and roller bearings.



Description	Overall H x W x D mm	Tray W x D mm	Wheel dia mm	Weight kg	Order Ref
Euro Dolly	195 x 415 x 640	400 x 600	125	12	CT408

Optional extra

Euro Dolly Handle

Ref: **TD804**



Total stop brakes (extra)

Ref: **B032**



Euro Trolley



Max Load
350kg



Made in
Britain

Finish: Blue epoxy.

Wheels: 2 fixed and 2 swivel castors with 160mm diameter wheels, solid rubber tyres and roller bearings.



Description	Overall H x W x D mm	Wheel dia mm	Weight kg	Order Ref
Euro Trolley	985 x 615 x 950	160	24	CT81

Optional extra

Total stop brakes (extra) Ref: **B024**



Loadtek



Euro Containers

Robust grey plastic containers that can interstack modularly with various sizes. Ideal for protective storage during transportation of goods.

Lids and dollies can be supplied separately. All containers and accessories are manufactured from high-density food grade polypropylene which has a temperature resistance from -5°C to +70°C.

Size ltr	External Dimensions mm			Internal Dimensions mm			Individual Order Ref	Pallet Quantity	
	Length	Width	Height	Length	Width	Height		No. on Pallet	Pallet Order Ref
5	300	200	120	260	160	110	PC050	288	PC050/288
10	400	300	120	356	256	110	PC023	144	PC023/144
20	400	300	220	356	256	211	PC051	104	PC051/104
22	600	400	120	555	358	105	PC005	72	PC005/72
27	600	400	150	560	255	138	PC052	56	PC052/56
30	600	400	170	560	360	157	PC020	52	PC020/52
40	600	400	200	552	353	185	PC053	44	PC053/44
52	600	400	270	560	358	257	PC021	32	PC021/32
60	600	400	320	552	353	304	PC022	36	PC022/36

Attached Lid Containers



These high quality Attached Lidded Euro Containers can be stacked when the lid is closed or nested to save space when not in use and lid is open. They allow for 'locking' by way of cable ties or similar when high value goods are stored and include a label \ card holder for ease of identification. They are manufactured from high-density food grade polypropylene which has a temperature resistance from -5°C to +70°C.



Size ltr	External Dimensions mm			Internal Dimensions mm			Individual Order Ref	Pallet Quantity	
	Length	Width	Height	Length	Width	Height		No. on Pallet	Pallet Order Ref
56	600	400	310	547	365	280	PC019	85	PC019/85
65	600	400	365	547	365	345	PC016	85	PC016/85
77	600	400	400	547	365	380	PC017	85	PC017/85

Lid Colour Options	B	R	Y	GN
--------------------	---	---	---	----

Semi-open Fronted Containers

A simple and effective small parts storage system for a wide range of materials. Manufactured from polypropylene, can be stacked or used with louvre panels, cabinets and shelving systems. Containers can be manufactured in specific brand colours for high volume users.


- Strong, heavy duty with reinforced base, sides and stacking rim
- Durable and resistant to most industrial solvents
- Capable of withstanding a temperature range of -15°C to +50°C
- Smooth inside faces guard against build of grease
- Index card slot for identification labels (not supplied)
- Available in 6 sizes and 4 colours as standard



Description	Length mm	Width mm	Height mm	Pack Quantities		Pallet Quantities	
				No. Per Pack	Order Ref	No. Per Pallet	Order Ref
No.2	165	100	75	20	PC101	90	PC101/90
No.3	240	150	132	10	PC102	54	PC102/54
No.4	350	205	132	10	PC103	25	PC103/25
No.5	350	205	182	10	PC104	20	PC104/20
No.6	375	420	182	5	PC105	20	PC105/20
No.7	520	310	200	5	PC106	16	PC106/16

Wall Mounted Louvre Panels


Featuring the unique double indented louvre for extra strength, this system offers the ideal solution for wall mounting and many other applications for TC containers and accessories. 2 imperial sizes available. Precision formed and finished in a grey epoxy powder coating.



Description	Overall H x W	Order Ref
Louvre Panel	438 x 457	WP50
Louvre Panel	946 x 457	WP52

Colour Options

GN R B Y



Floor Standing Louvre Panels

Single or double sided freestanding storage units available in 3 heights for increased storage capacity when using TC containers and accessories. Units are finished in blue epoxy powder coating (other colours are available) with silver / grey feet.

For large application order one starter bay and the appropriate number of add on bays to make this a complete solution to suit individual requirements. Heavy duty adjusters permit levelling on uneven surfaces.

Description	Overall H x W x D mm	Starter Bay Ref	Add on Bay Ref
Single sided	1100 x 1000 x 500	LPT20	LPT30
	1600 x 1000 x 500	LPT21	LPT31
	2100 x 1000 x 500	LPT22	LPT32
Double sided	1100 x 1000 x 750	LPT23	LPT33
	1600 x 1000 x 750	LPT24	LPT34
	2100 x 1000 x 750	LPT25	LPT35



LPT-13C



Max Load
250kg



Made in
Britain

Louvre Panel Trolleys

'A' frame double sided louvre panel trolleys with integral sheet steel deck storage area. Fully welded steel frame construction with bolt-on louvre panels. Tubular push/pull handle. Available in 2 heights (2 or 3 panels). Finish: Grey epoxy frame (BS00A05) with blue panels (RAL5017).

Wheels: 2 swivel braked and 2 fixed castors fitted with 125mm blue resilex wheels and roller bearings.



LPT-12

LPT-12C

LPT-13

Description	Overall H x W x D mm	Deck Height mm	Bins Included	Wheel dia mm	Order Ref
2 Panel High	1200 x 600 x 1000	205	None	125	LPT-12
			72 x XL2 & 36 x XL3		LPT-12C
3 Panel High	1600 x 600 x 1000		None		LPT-13
			108 x XL3		LPT-13C



Multi-Trip Container Trolley



Max Load
50kg



Made in
Britain



To carry 2 x 54ltr multi-trip containers (containers extra).

Welded tubular steel construction. Finish: Blue Epoxy.

Wheels: 4 x 125mm diameter swivel castors fitted with grey non-marking tyres.

Description	Overall H x W x D mm	Wheel dia mm	Weight kg	Order Ref
Trolley Without Containers	1010 x 420 x 952	125	12	CT03

Attached Lid Containers

Capacity ltr	Internal H x W x D mm	External H x W x D mm	Order Ref
54	345 x 365 x 547	365 x 400 x 600	PC-019

Lid Colour Options B R Y GN



Container Carrier Trolley



Max Load
50kg



Made in
Britain



To carry 2 x 50ltr containers without lids (containers extra).

Welded tubular steel construction. Finish: Blue epoxy.

Wheels: 4 x 125mm diameter swivel castors fitted with grey non-marking tyres.

Description	Overall H x W x D mm	Wheel dia mm	Weight kg	Order Ref
Trolley Without Containers	940 x 440 x 1180	125	14	CT07

Containers

Capacity ltr	Internal L x W x H mm	External L x W x H mm	Weight kg	Order Ref
50	270 x 460 x 340	300 x 600 x 400	2.3kg	PC070



Optional extra

Steel clipboard (factory fitted)

Blue epoxy finish

Ref: T07



Plastic Container Trucks

Capacity 360 litres. Welded steel angle construction with steel tube side bars to hold containers. Finish: Blue or red epoxy (to match container colour).

Wheels:

Standard wheels: 2 fixed and 2 swivel castors with 160mm diameter rubber tyred wheels with roller bearings.

Balance Configuration: (highly manoeuvrable): 2 fixed and 2 swivel castors with 160mm diameter rubber tyred wheels with roller bearings.

Container Bins:

Red or blue, polyethylene, non-food quality with smooth snag-free interiors; suitable for general products including clothing and textiles. Containers are removable and stackable when empty (containers are also available separately).

Temperature range -10° to +60°c.

Internal dimensions L x W x H: 930 x 640 x 610mm.

External dimensions L x W x H: 1040 x 730 x 615mm.

CT82



CT88



CT89



Description	Overall H x W x D mm	Colour	Wheel dia mm	Weight kg	Order Ref
Standard wheels	1040 x 730 x 810	Blue	160	32	CT82
		Red			CT88
Balance wheels		Blue			CT87
		Red			CT89

Bins

Bin Options	Colour	Weight kg	Order Ref
Spare bin	Blue	10	PC003
	Red	10	PC032
Loose lid	Blue	4	PC028
	Red	4	PC029

PC028



Optional extra

Total stop brakes (extra)

Not available for Balance Wheels

Ref: **B024**



Container Shelf Trolleys



Made in
Britain

A versatile range designed for 600 x 400mm Euro containers and / or open fronted yellow stock boxes. Use your own containers or choose from the selection below. Trolley: welded steel tube & angle construction

CT47 - Capacity: 400kg UDL.

4 standard 600 x 400mm Euro containers per shelf (containers not included). Finish: Blue epoxy.

Please note: Open style shelves not shelf, and is designed to hold Euro Containers only.

Wheels: 2 fixed and 2 swivel, 160mm diameter rubber tyred wheels with roller bearings.

CT48 - Capacity: 350kg UDL.

3 standard 600 x 400mm Euro containers per shelf (containers not included). Finish: Red epoxy with varnished plywood shelves.

Wheels: 2 fixed and 2 swivel, 160mm diameter rubber tyred grey non marking wheels with roller bearings.

CT49 - Capacity: 400kg UDL.

Accepts 2 standard 600 x 400mm Euro containers, or 6 yellow stock boxes per shelf (containers not included). Finish: Red epoxy with varnished plywood shelves.

Wheels: 2 fixed and 2 swivel, 160mm diameter rubber tyred grey non marking wheels with roller bearings.

CT48



CT47



Description	Overall H x W x D mm	Shelf W x D mm	Shelf Heights mm	Wheel dia mm	Weight kg	Order Ref
400kg Capacity	11315 x 615 x 1730	N/A	235, 595, 955, 1315	160	75	CT47
350kg Capacity	1410 x 650 x 1245	600 x 1215			63	CT48
400kg Capacity	1410 x 450 x 1245	405 x 1215			51	CT49

Containers

Plastic containers, available in packs, suitable for trolleys above.

Suit models: CT46; CT47; CT48 & CT49

CT47




PC022

PC053

PC020

PC005



Description	Overall W x D mm	Internal Height mm	External Height mm	Capacity ltrs	Weight kg	Order Ref
Dark Grey Euro Container	400 x 600	105	118	21	1.5	PC005
Dark Grey Euro Container		164	175	33	1.87	PC020
Dark Grey Euro Container		185	200	45	2.25	PC053
Dark Grey Euro Container		300	319	60	2.73	PC022
Euro Red Boxes		300	320	60	2.73	PC006



Access Platform

Max Load
350kg

Made in
Britain

For use with forklift trucks. Manufactured according to Health and Safety executive guidance note PM28 (3rd edition) December 2005. Approved to be used by 2 persons of average weight - max total load capacity 350kg. Finish: Yellow epoxy.

The Access Platform has been designed to provide easier access for your maintenance, repair and installation requirements.

Fully welded with a raised expanded metal floor, located and welded into a formed kickboard surround. Tubular handrail and rear RSA frame with wire mesh panels. Hinged entry gate with spring return to closed position a spring loaded retention bolt holds the gate in the closed position.

Platform locks onto the lift truck forks with threaded screw jacks.

Important ordering requirements

In the interests of safety, we do not specify standard fork location details. Platform must be manufactured to your forklift truck specification.

On all orders please specify:

- 1. Length of fork
- 2. Width and depth (cross section) of fork
- 3. Maximum standard distance between forks



Fork heel lock and screw jack. Raised gate lock and slam bolt.



Overall H x W x D mm	Platform Size W x L mm	Handrail Height: mm	Gate Width mm	Weight kg (approx.):	Order Ref
1925 x 1020 x 1020	1000 x 1000	1010	510	78	ASP1

Optional accessories

Castors - 2 swivel, 2 fixed castors, 100mm diameter. nylon wheels. Provides for ease of movement and storage independent of forklift truck. Increases height by 125mm

Ref: ASP4



Tool Tray - Welded tool tray hooks onto front guard rail. Complete with locking screws. L x W x D : 1000 x 200 x 200mm. Weight: 10kg

Ref: ASP2



Rolling Corners



Max Load
600kg




Made in
Britain


Sold in sets of 4, rolling corners allow large items to be moved with little effort. Manufactured from formed and welded sheet steel, platforms fitted with 3mm thick black ribbed rubber matting. Metalwork finished in high quality powder coating.

Wheels: 3 castors, all swivel with 50mm wheels with grey non marking rubber tyres.

IMPORTANT: Weight must be evenly distributed on the four corners.



RMD2



RMD1

Description	Overall H x W x L mm	Platform Height mm	Capacity kg (over 4 corners)	Wheel dia mm	Weight kg (set of 4)	Order Ref
Grey Epoxy Finish	75 x 300 x 300	20	400	50	8	RMD1
Orange Epoxy Finish			600		10	RMD2

Roller Platforms




Max Load
500kg



Made in
Britain

Unique, tough and versatile. A heavy load shifter fitted with 3 heavy duty swivel castors housing white nylon wheels 50mm diameter.

Steel deck with ribbed rubber pad.



Description	Side Lengths mm	Platform Height mm	Capacity kg (over 4 corners)	Wheel dia mm	Weight kg (set of 4)	Order Ref
Yellow Epoxy Finish	300 x 300 x 300	90	500	50	10	RMD3



Redhill Manufacturing Limited is one of the UK's leading manufacturers of access, storage and manual handling equipment. We have a comprehensive range of products, built in the West Midlands and supplied to catalogue companies and distributors across the UK and Europe.

Established in 1977, we offer an unrivalled wealth of metal manufacturing resources, skills and experience. As well as creating over 3,000 standard and catalogued products, we also offer bespoke product design and prototyping through to large volume production. At Redhill you can rely on us delivering excellent products on time every time.

Redhill

Redhill Manufacturing Limited

Unit 13-15, Lakeside Industrial Estate
Broad Ground Road, Redditch,
Worcestershire, B98 8YP, United Kingdom

Tel: +44 (0)1527 529002

Email: sales@redhill.co.uk

www.redhill.co.uk

We reserve the right to alter designs and specifications without prior notice. All technical data, dimensions, weights etc. stated in this catalogue serve only as a guide. The seller cannot accept any liability which may be attributed in any way to the use of this information. All goods are sold strictly in accordance with our terms and conditions of sale, details are available on request.