

The background image shows a grey metal shelving unit in a warehouse. The top shelf holds a brown Amazon box with 'amazon.co.uk' and the Amazon logo. The middle shelf has several yellow plastic bins. The bottom shelf has a red plastic bin and a black box. A large, vertical, magenta text 'WAREHOUSE' is overlaid on the left side of the image.

# Redhill

**DURABLE  
AND ROBUST,  
TO SUIT THE  
NEEDS OF  
THE WORK  
ENVIRONMENT**

[www.redhill.co.uk](http://www.redhill.co.uk)

Standard Workbench

Construction: Fully welded steel with 40 x 40mm legs and 50 x 25mm framework. Standard workbench height 840mm (750 & 900mm available at no extra cost), frame finished in light grey epoxy. Supplied with adjustable feet.



Max Load  
300kg



Made in  
Britain

**Optional extra**  
2 x swivel and 2 x swivel  
braked castors fitted with  
100mm blue resilex tyred  
wheels and roller bearings.

Ref: **AA-MOB**





Worktop Thickness

Laminate: 20mm  
Anti-static Laminate: 20mm  
MDF: 18mm



Height and Worktop Options

				
		Standard Worktop Materials		
Description	Overall H x W x D mm	Laminate Order Ref	Anti-static Order Ref	MDF Order Ref
Standard Workbench	840 x 1800 x 750	SB8-LA	SB8-ALA	SB8-M

Above Workbench Accessories



Description	Overall H x W x D mm			Order Ref
<b>A</b> Pair of accessory outer bench posts	1260mm above bench			AB-P
A central accessory post				AB-CP
Formed sheet divider	300		300	AB-SDIV
Full width tool panel	450	1800		AB-RTP
Half width tool panel	450	900		AB-HRTP
<b>B</b> Full width louvre panel	450	1800		AB-RLP
Half width louvre panel	450	900		AB-HRLP
Half width monitor mounting panel	450	900		AB-HMP
Full width post mounting service duct		1800		AB-FPSD
Half width post mounting service duct		900		AB-HPSD
<b>C</b> Worktop mounted service duct		1800		AB-RSD
<b>D</b> Full width flush shelf c/w divider holes		1800	300	AB-TSS
Full width angled shelf, lipped front		1800	300	AB-ATSS
Half width flush shelf c/w divider holes		900	300	AB-HTSS
Half width angled shelf, lipped front		900	300	AB-HATSS
<b>E</b> Back stop for shelf		1800		AB-BST
<b>F</b> LED Batten to fit under shelf		1220		AB-LED
Label printer shelf		200	300	AB-LAB
Monitor arm				AB-MON



## Below Workbench Accessories



	Description	Overall H x W x D mm		Order Ref
A	Full width lower shelf, laminate	1800	600	AB-LSLA
B	Full width middle shelf, laminate	1800	600	AB-MSLA
	Half width lower shelf, laminate	900	600	AB-HLSLA
	Half width middle shelf, laminate	900	600	AB-HMSLA
	Full width lower shelf, anti-static laminate	1800	600	AB-LSALA
	Full width middle shelf, anti-static laminate	1800	600	AB-MSALA
	Half width lower shelf, anti-static laminate	900	600	AB-HLSALA
	Half width middle shelf, anti-static laminate	900	600	AB-HMSALA
	Full width lower shelf, MDF	1800	600	AB-LSM
	Full width middle shelf, MDF	1800	600	AB-MSM
	Half width lower shelf, MDF	900	600	AB-HLSM
	Half width middle shelf, MDF	900	600	AB-HMSM

### Drawers and Cupboards

Lockable drawer and cupboard units bolt to the underside of the workbench frame, using captive nuts fitted to every frame, so they can be fitted or changed at any time. Cupboards have one fixed steel shelf. Supplied loose for simple on-site assembly.

All above bench accessories and cupboard and drawer carcass:



Light Grey epoxy

Drawer fronts and doors available in choice of:  
(Blue supplied if none specified)



Blue      Red      Dark Grey

	Below bench accessory	H x W x D mm	Left fitted Order Ref	Right fitted Order Ref
A	Single drawer	140 x 410 x 430	LA	RA
B	2 drawer unit	280 x 410 x 430	LE	RE
C	3 drawer unit	420 x 410 x 430	LH	RH
D	4 drawer unit	560 x 410 x 430	LK	RK
E	Small cupboard	420 x 410 x 430	LC	RC
F	Large cupboard	560 x 410 x 430	LD	RD
G	Single drawer + small cpbd	560 x 410 x 430	LG	RG
	Retaining skirt	100mm high steel back	-	RS



Full range of accessories,  
See pages 14 to 15.



Redditek

Adjustable Height Workbench

Construction: Welded steel with 40 x 40mm and 50 x 25mm framework. Adjustable workbench height from 840mm to 1140, frame finished in light grey epoxy.



Max Load  
300kg



Made in  
Britain

Worktop Thickness


Laminate: 20mm  
Anti-static Laminate: 20mm  
MDF: 18mm



Height and Worktop Options

				
		Standard Worktop Materials		
Description	Overall H x W x D mm	Laminate Order Ref	Anti-static Order Ref	MDF Order Ref
Adjustable Height Workbench	840 to 1140 x 1800 x 750	AB8-LA	AB8-ALA	AB8-M

Above Workbench Accessories



	Description	Overall H x W x D mm			Order Ref
A	Pair of accessory outer bench posts	1260mm above bench			AB-P
	A central accessory post				AB-CP
	Formed sheet divider	300		300	AB-SDIV
	Full width tool panel	450	1800		AB-RTP
	Half width tool panel	450	900		AB-HRTP
B	Full width louvre panel	450	1800		AB-RLP
	Half width louvre panel	450	900		AB-HRLP
	Half width monitor mounting panel	450	900		AB-HMP
	Full width post mounting service duct		1800		AB-FPSD
	Half width post mounting service duct		900		AB-HPSD
C	Worktop mounted service duct		1800		AB-RSD
D	Full width flush shelf c/w divider holes		1800	300	AB-TSS
	Full width angled shelf, lipped front		1800	300	AB-ATSS
	Half width flush shelf c/w divider holes		900	300	AB-HTSS
	Half width angled shelf, lipped front		900	300	AB-HATSS
E	Back stop for shelf		1800		AB-BST
F	LED Batten to fit under shelf		1220		AB-LED
	Label printer shelf		200	300	AB-LAB
	Monitor arm				AB-MON

## Below Workbench Accessories



	Description	Overall H x W x D mm		Order Ref
<b>A</b>	Full width lower shelf, laminate	1800	600	AB-LSLA
<b>B</b>	Full width middle shelf, laminate	1800	600	AB-MSLA
	Half width lower shelf, laminate	900	600	AB-HLSLA
	Half width middle shelf, laminate	900	600	AB-HMSLA
	Full width lower shelf, anti-static laminate	1800	600	AB-LSALA
	Full width middle shelf, anti-static laminate	1800	600	AB-MSALA
	Half width lower shelf, anti-static laminate	900	600	AB-HLSALA
	Half width middle shelf, anti-static laminate	900	600	AB-HMSALA
	Full width lower shelf, MDF	1800	600	AB-LSM
	Full width middle shelf, MDF	1800	600	AB-MSM
	Half width lower shelf, MDF	900	600	AB-HLSM
	Half width middle shelf, MDF	900	600	AB-HMSM

### Drawers and Cupboards

Lockable drawer and cupboard units bolt to the underside of the workbench frame, using captive nuts fitted to every frame, so they can be fitted or changed at any time. Cupboards have one fixed steel shelf. Supplied loose for simple on-site assembly.

All above bench accessories and cupboard and drawer carcass:



Light Grey epoxy

Drawer fronts and doors available in choice of:  
(Blue supplied if none specified)



Blue      Red      Dark Grey

	Below bench accessory	H x W x D mm	Left fitted Order Ref	Right fitted Order Ref
<b>A</b>	Single drawer	140 x 410 x 430	LA	RA
<b>B</b>	2 drawer unit	280 x 410 x 430	LE	RE
<b>C</b>	3 drawer unit	420 x 410 x 430	LH	RH
<b>D</b>	4 drawer unit	560 x 410 x 430	LK	RK
<b>E</b>	Small cupboard	420 x 410 x 430	LC	RC
<b>F</b>	Large cupboard	560 x 410 x 430	LD	RD
<b>G</b>	Single drawer + small cpbd	560 x 410 x 430	LG	RG
	Retaining skirt	100mm high steel back	-	RS



Full range of accessories,  
See pages 14 to 15.





### Standard Height Packing Bench

Redhill's modular packing station. Customise your packing operation and maximise your working and storage space with our new fixed height work bench.

Build to your requirements including carton dividers, wrapping dispenser bars, PC monitor panels, Electrical points and other accessories.

All powder coated finished with a choice of laminate, Anti-Static or MDF worktops.

**Worktop Thickness**

Laminate: 20mm  
Anti-static Laminate: 20mm  
MDF: 18mm

**Optional extra**

2 x swivel and 2 x swivel braked castors fitted with 100mm blue resilex tyred wheels and roller bearings.

Ref: **AA-MOB**



Max Load  
300kg



Made in  
Britain



### Height and Worktop Options

Standard Worktop Materials				
Description	Overall H x W x D mm	Laminate Order Ref	Anti-static Order Ref	MDF Order Ref
Standard Workbench	840 x 1800 x 750	SB8-LA	SB8-ALA	SB8-M


### Above Workbench Accessories



Description	Overall H x W x D mm			Order Ref
A Pair of accessory outer bench posts	1260mm above bench			AB-P
B A central accessory post				AB-CP
C Formed sheet divider	300	300		AB-SDIV
Full width tool panel	450	1800		AB-RTP
D Half width tool panel	450	900		AB-HRTP
Full width louvre panel	450	1800		AB-RLP
Half width louvre panel	450	900		AB-HRLP
E Half width monitor mounting panel	450	900		AB-HMP
Full width post mounting service duct		1800		AB-FPSD
F Half width post mounting service duct		900		AB-HPSD
Worktop mounted service duct		1800		AB-RSD
Full width flush shelf c/w divider holes	1800	300		AB-TSS
Full width angled shelf, lipped front	1800	300		AB-ATSS
G Half width flush shelf c/w divider holes	900	300		AB-HTSS
H Half width angled shelf, lipped front	900	300		AB-HATSS
Back stop for shelf	1800			AB-BST
I LED Batten to fit under shelf	1220			AB-LED
Label printer shelf	200	300		AB-LAB
Monitor arm				AB-MON



## Below Workbench Accessories




	Description	Overall H x W x D mm		Order Ref
A	Full width lower shelf, laminate	1800	600	AB-LSLA
B	Full width middle shelf, laminate	1800	600	AB-MSLA
C	Half width lower shelf, laminate	900	600	AB-HLSLA
	Half width middle shelf, laminate	900	600	AB-HMSLA
	Full width lower shelf, anti-static laminate	1800	600	AB-LSALA
	Full width middle shelf, anti-static laminate	1800	600	AB-MSALA
	Half width lower shelf, anti-static laminate	900	600	AB-HLSALA
	Half width middle shelf, anti-static laminate	900	600	AB-HMSALA
	Full width lower shelf, MDF	1800	600	AB-LSM
	Full width middle shelf, MDF	1800	600	AB-MSM
	Half width lower shelf, MDF	900	600	AB-HLSM
	Half width middle shelf, MDF	900	600	AB-HMSM
D	Printer and CPU shelf	660	410 685	AB-PCSH
	Underbench roll holder, full width	1800		AB-URH
E	Underbench roll holder, half width	900		AB-HURH

## Drawers and Cupboards

Lockable drawer and cupboard units bolt to the underside of the workbench frame, using captive nuts fitted to every frame, so they can be fitted or changed at any time. Cupboards have one fixed steel shelf. Supplied loose for simple on-site assembly.

All above bench accessories and cupboard and drawer carcass:



Light Grey epoxy

Drawer fronts and doors available in choice of:  
(Blue supplied if none specified)



Blue      Red      Dark Grey

	Below bench accessory	H x W x D mm	Left fitted Order Ref	Right fitted Order Ref
A	Single drawer	140 x 410 x 430	LA	RA
B	2 drawer unit	280 x 410 x 430	LE	RE
C	3 drawer unit	420 x 410 x 430	LH	RH
D	4 drawer unit	560 x 410 x 430	LK	RK
E	Small cupboard	420 x 410 x 430	LC	RC
F	Large cupboard	560 x 410 x 430	LD	RD
G	Single drawer + small cpbd	560 x 410 x 430	LG	RG
	Retaining skirt	100mm high steel back	-	RS



Full range of accessories,  
See pages 14 to 15.



### Adjustable Height Packing Bench

Redhill's modular packing station. Customise your packing operation and maximise your working and storage space with our new adjustable height work bench.

Build to your requirements including carton dividers, wrapping dispenser bars, PC monitor panels, Electrical points and other accessories.

All powder coated finished with a choice of laminate, Anti-Static or MDF worktops.

#### Worktop Thickness

- Laminate: 20mm
- Anti-static Laminate: 20mm
- MDF: 18mm



  
Max Load  
300kg

  
Made in  
Britain

### Height and Worktop Options

Standard Worktop Materials				
Description	Overall H x W x D mm	Laminate Order Ref	Anti-static Order Ref	MDF Order Ref
Adjustable Height Workbench	840 to 1140 x 1800 x 750	AB8-LA	AB8-ALA	AB8-M

### Above Workbench Accessories




Description	Overall H x W x D mm			Order Ref
A Pair of accessory outer bench posts	1260mm above bench			AB-P
B A central accessory post				AB-CP
C Formed sheet divider	300	300		AB-SDIV
Full width tool panel	450	1800		AB-RTP
D Half width tool panel	450	900		AB-HRTP
Full width louvre panel	450	1800		AB-RLP
Half width louvre panel	450	900		AB-HRLP
E Half width monitor mounting panel	450	900		AB-HMP
Full width post mounting service duct		1800		AB-FPSD
F Half width post mounting service duct		900		AB-HPSD
Worktop mounted service duct		1800		AB-RSD
Full width flush shelf c/w divider holes	1800	300		AB-TSS
Full width angled shelf, lipped front	1800	300		AB-ATSS
G Half width flush shelf c/w divider holes	900	300		AB-HTSS
H Half width angled shelf, lipped front	900	300		AB-HATSS
Back stop for shelf	1800			AB-BST
I LED Batten to fit under shelf	1220			AB-LED
Label printer shelf	200	300		AB-LAB
Monitor arm				AB-MON





## Below Workbench Accessories



	Description	Overall H x W x D mm		Order Ref
A	Full width lower shelf, laminate	1800	600	AB-LSLA
B	Full width middle shelf, laminate	1800	600	AB-MSLA
C	Half width lower shelf, laminate	900	600	AB-HLSLA
	Half width middle shelf, laminate	900	600	AB-HMSLA
	Full width lower shelf, anti-static laminate	1800	600	AB-LSALA
	Full width middle shelf, anti-static laminate	1800	600	AB-MSALA
	Half width lower shelf, anti-static laminate	900	600	AB-HLSALA
	Half width middle shelf, anti-static laminate	900	600	AB-HMSALA
	Full width lower shelf, MDF	1800	600	AB-LSM
	Full width middle shelf, MDF	1800	600	AB-MSM
	Half width lower shelf, MDF	900	600	AB-HLSM
	Half width middle shelf, MDF	900	600	AB-HMSM
D	Printer and CPU shelf	660	410 685	AB-PCSH
	Underbench roll holder, full width	1800		AB-URH
E	Underbench roll holder, half width	900		AB-HURH

## Drawers and Cupboards

Lockable drawer and cupboard units bolt to the underside of the workbench frame, using captive nuts fitted to every frame, so they can be fitted or changed at any time. Cupboards have one fixed steel shelf. Supplied loose for simple on-site assembly.

All above bench accessories and cupboard and drawer carcass:



Light Grey epoxy

Drawer fronts and doors available in choice of:  
(Blue supplied if none specified)



Blue      Red      Dark Grey

	Below bench accessory	H x W x D mm	Left fitted Order Ref	Right fitted Order Ref
A	Single drawer	140 x 410 x 430	LA	RA
B	2 drawer unit	280 x 410 x 430	LE	RE
C	3 drawer unit	420 x 410 x 430	LH	RH
D	4 drawer unit	560 x 410 x 430	LK	RK
E	Small cupboard	420 x 410 x 430	LC	RC
F	Large cupboard	560 x 410 x 430	LD	RD
G	Single drawer + small cpbd	560 x 410 x 430	LG	RG
	Retaining skirt	100mm high steel back	-	RS



Full range of accessories,  
See pages 14 to 15.



### Extra Heavy Duty Workbench

Strong, fully welded, steel construction makes these versatile workbenches suitable for the toughest of applications. Standard height 840mm (750 & 900mm available at no extra cost). Fully welded construction. Heavy Duty: 50 x 50mm steel angle.

**Finish:** Dark grey RAL7031

Choice of worktops and range of accessories provides the best combination for your requirements.

**Worktop Thickness**


- Laminate: 20mm
- Lino: 20mm
- MDF: 18mm
- Steel: 3mm
- Stainless: 20mm



Max Load  
750kg



Made in  
Britain



Standard Worktop Materials					
Overall H x W x D mm	Laminate Order Ref	Lino Order Ref	MDF Order Ref	Steel Order Ref	Stainless Order Ref
840 x 600 x 1200	H1-LA	H1-V	H1-M	H1-S	H1-SS
840 x 750 x 1200	H2-LA	H2-V	H2-M	H2-S	H2-SS
840 x 900 x 1200	H3-LA	H3-V	H3-M	H3-S	H3-SS
840 x 600 x 1500	H4-LA	H4-V	H4-M	H4-S	H4-SS
840 x 750 x 1500	H5-LA	H5-V	H5-M	H5-S	H5-SS
840 x 900 x 1500	H6-LA	H6-V	H6-M	H6-S	H6-SS
840 x 600 x 1800	H7-LA	H7-V	H7-M	H7-S	H7-SS
840 x 750 x 1800	H8-LA	H8-V	H8-M	H8-S	H8-SS
840 x 900 x 1800	H9-LA	H9-V	H9-M	H9-S	H9-SS

**Extra Lower Steel Shelf**

Thickness: 1.5mm

Overall H x W x D mm	Order Ref
840 x 600 x 1200	HLS1
840 x 750 x 1200	HLS2
840 x 900 x 1200	HLS3
840 x 600 x 1500	HLS4
840 x 750 x 1500	HLS5
840 x 900 x 1500	HLS6
840 x 600 x 1800	HLS7
840 x 750 x 1800	HLS8
840 x 900 x 1800	HLS9

**Easy Order Workbenches**

E7 workbench complete with 1 drawer and 1 cupboard.

E11 workbench complete with 3 side retaining skirt, lower shelf, 2 drawer unit and 1 cupboard



Overall H x W x D mm	MDF Worktop Order Ref	Steel Worktop Order Ref
840 x 750 x 1200	E7H4	E11H4
840 x 750 x 1500	E7H5	E11H5
840 x 750 x 1800	E7H6	E11H6



## Extra Heavy Duty Workbench Accessories

Choose your selection of accessories for extra heavy duty workbenches.  
Add the reference numbers to that of your selected bench.  
All accessories are factory fitted, so must be ordered with workbench (no retro fit)

### Above Workbench

RSD-6



RS3



EV



Description	Size mm	Left Fitting Order Ref
Rear service duct with 2 x 13amp sockets	1200	RSD-4
	1500	RSD-5
	1800	RSD-6
Rear Only Retaining Skirt		RS1
3 Sided Retaining Skirt		RS3
Vice plate	3 x 230 x 230	VP
100mm engineering vice c/w vice plate and bolts		EV

### Below Workbench

RH-13



RH-14



RH-12



RH-15



Description	Overall H x W x D mm	Left Fitting Order Ref	Right Fitting Order Ref
1 Drawer	140 x 410 x 430	LH-11	RH-11
2 Drawers	280 x 410 x 430	LH-13	RH-13
3 Drawers	420 x 410 x 430	LH-14	RH-14
1 Cupboard	600 x 410 x 430	LH-12	RH-12
1 Drawer and 1 Cupboard	560 x 410 x 430	LH-15	RH-15

Adjustable height from 840 - 940mm in 25mm increments  
Choice of MDF, Lino and Laminate worktop options. Worktop Thickness: 25mm  
Base shelf supplied in 18mm plain cut MDF irrespective of finish of top shelf



Description	Overall H x W x D mm	Standard Worktop Materials		
		MDF Order Ref	Laminate Order Ref	Lino Order Ref
Starter	940 x 700 x 2000	IM1-M	IM1-LA	IM1-V
Starter and base		IM1-MBS	IM1-LABS	IM1-VBS
Starter	940 x 1200 x 2000	IM2-M	IM2-LA	IM2-V
Starter and base		IM2-MBS	IM2-LABS	IM2-VBS
Starter	940 x 1400 x 2000	IM3-M	IM3-LA	IM3-V
Starter and base		IM3-MBS	IM3-LABS	IM3-VBS
Starter	940 x 700 x 3000	IM4-M	IM4-LA	IM4-V
Starter and base		IM4-MBS	IM4-LABS	IM4-VBS
Starter	940 x 1200 x 3000	IM5-M	IM5-LA	IM5-V
Starter and base		IM5-MBS	IM5-LABS	IM5-VBS
Starter	940 x 1400 x 3000	IM6-M	IM6-LA	IM6-V
Starter and base		IM6-MBS	IM6-LABS	IM6-VBS
Add-on	940 x 700 x 2000	IM7-M	IM7-LA	IM7-V
Add-on and base		IM7-MBS	IM7-LABS	IM7-VBS
Add-on	940 x 1200 x 2000	IM8-M	IM8-LA	IM8-V
Add-on and base		IM8-MBS	IM8-LABS	IM8-VBS
Add-on	940 x 1400 x 2000	IM9-M	IM9-LA	IM9-V
Add-on and base		IM9-MBS	IM9-LABS	IM9-VBS

### Extension Benches

Then use add on workbenches as required to create a run with infinite combinations. Each extension has an MDF Worktop

We can modify a standard model or custom build to your own specifications - please call for details.

Add on units can be bolted to different size benches to form combinations



IM-EOB1



IM-EOB2



IM5-M



IM5-MBS



Description	Overall H x W x D mm	Order Ref
3 Drawers, 1 Cupboard with Base Shelf and Leg Socket	940 x 700 x 2000	IM-EOB1
Combined Cabinet & Drawer Unit with Base Shelf	940 x 1200 x 3000	IM-EOB2
Top Shelf		IM5-M
Top Shelf and Base Shelf		IM5-MBS

Combine with easy to add bench accessories

Description	Order Ref
Cupboard Unit	RC / LC
Single Drawer	RA / LA
Two Drawer	RE / LE
Three Draw	RH / LH
Cupboard / Drawer	RG / LG
2000mm Upper Shelf	US2000
3000mm Upper Shelf	US3000
2000mm Service Duct	RSD20
3000mm Service Duct	RSD30

Optional extras  
13 Amp Socket  
Ref: **SRDSO**





RSD-CAT2

RSD-CAT4



RSD-BR4

RSD-BR2

CA-DTID



Description	Ref
Single Data Socket	RSD-CAT2
Double Data Socket	RSD-CAT4
Single Width Brush Cable Outlets	RSD-BR2
Double Width Brush Cable Outlets	RSD-BR4
Through Desk Cable Tidy	CA-DTID

## Data Sockets & Cable Outlets

### Data Sockets

Double or quadruple CAT 5e data sockets fitted to relevant rear service duct. Please state position required.

### Brush Cable Outlets

Single or double width brush cable outlets to allow continuous cables to be wired through the rear service duct. Brush design stops debris getting into the ducting. Fitted to the relevant service duct. Please state position required.

### Through Desk Cable Tidy

Grey plastic through desk cable tidy. Please state position required.

RSD-SPB

RSD-RCD



RSD-SS

RSD-DS



## Rear Service Duct Optional Extra's

### Single Phase Blue Socket

Single phase 16 amp blue socket fitted to the relevant rear service duct. Please state position required.

### Circuit Breaker

25 amp type AC residual current circuit breaker fitted to the relevant rear service duct. Please state position required.

### Double Safety Socket

Double 13 amp safety socket. 30mA trip current. Replaces one of the current double sockets supplied with the rear

### Additional Double Socket

Factory fitted to rear service duct. Position required with order.


### USB Socket

USB socket, factory fitted to rear service duct. Position required with order.

Description	Ref
Single Phase Blue Socket	RSD-SPB
Circuit Breaker	RSD-RCD
Double Safety Socket	RSD-SS
Additional Double Socket	RSD-DS
USB Socket	SD-USB

Tool Hooks

Range of tool hooks and holders for use with tool panels (tools not included).



Description	Size: Length mm	Ref
Single Hook	30	CP1-30
	60	CP1-60
	90	CP1-90
Double Hook	30	CP2-30
	60	CP2-60
Single Angled Hook	30	CP3-30
	60	CP3-60
Pliers Holder	17	CP4-17
	20	CP4-20

Description	Size: Diameter mm	Ref
Spring Clip	12	CP5-12
	18	CP5-18
	24	CP5-24
	30	CP6-30
Pipe Holder	50	CP6-50
Drill Bit Holder (22 bit capacity)	N/A	CP7-22
Drill Holder (2 hook pack)		CP8-02
Spanner Holder (8 slot)		CP9-08
Can Holder		CP10-01
Angle Grinder Holder		CP11-01
Hammer Holder		CP12-01

Redhill Manufacturing Limited is one of the UK's leading manufacturers of access, storage and manual handling equipment. We have a comprehensive range of products, built in the West Midlands and supplied to catalogue companies and distributors across the UK and Europe.

Established in 1977, we offer an unrivalled wealth of metal manufacturing resources, skills and experience. As well as creating over 3,000 standard and catalogued products, we also offer bespoke product design and prototyping through to large volume production. At Redhill you can rely on us delivering excellent products on time every time.

# Redhill

**Redhill Manufacturing Limited**

Unit 13-15, Lakeside Industrial Estate  
Broad Ground Road, Redditch,  
Worcestershire, B98 8YP, United Kingdom

**Tel: +44 (0)1527 529002**

**Email: [sales@redhill.co.uk](mailto:sales@redhill.co.uk)**

**[www.redhill.co.uk](http://www.redhill.co.uk)**

We reserve the right to alter designs and specifications without prior notice. All technical data, dimensions, weights etc. stated in this catalogue serve only as a guide. The seller cannot accept any liability which may be attributed in any way to the use of this information. All goods are sold strictly in accordance with our terms and conditions of sale, details are available on request.